

Certificates for Juan Gomez

Basic Information

First Name	Juan
Last Name	Gomez
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Caltrans Mets TransLab HMA	Glenn Bradley	5900 Folsom Blvd , Sacramento , CA 95819	59	Lab 1

Test Methods

California Test (CT) Certifications

Total 22 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2021-06-08	Expired	Biplab Bhattacharya	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Active	Loren Lee	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-06-08	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES	2022-03-19	Expired	Soroosh Amelian	(No lab)	(No comments)
CT 125 HMA Sampling - HMA	2022-03-19	Expired	Soroosh Amelian	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2021-06-08	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2021-06-08	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2021-06-08	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2018-11-01	Expired	Loren Lee	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2018-11-01	Expired	Loren Lee	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 211 LA Rattler	2018-11-01	Expired	Loren Lee	(No lab)	(No comments)
CT 212 Unit Weight of Aggregates	2018-11-01	Expired	Loren Lee	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2021-06-08	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2021-06-08	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2021-06-08	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2021-06-08	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2021-06-08	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2018-11-01	Expired	Loren Lee	(No lab)	(No comments)
CT 304 Sample Preparation - HMA	2018-11-01	Expired	Loren Lee	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2018-11-01	Expired	Loren Lee	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 309 Max SpG and Density - HMA	2018-11-01	Expired	Loren Lee	(No lab)	(No comments)
CT 366 Stabilometer	2018-11-01	Expired	Loren Lee	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					