

Certificates for Brock Sperry

Basic Information

| | |
|-------------------|--------|
| First Name | Brock |
| Last Name | Sperry |
| Status | Active |

Associated Labs

Total 4 items.

| Lab Name | Manager Name | Full Address | District | Page Alias |
|-----------------------------------|---------------|---|----------|------------|
| Sequoia Consultants, Incorporated | Ruben Jimenez | 361 West Grove Avenue, Orange, CA 92865 | 12 | Lab 1 |
| Sequoia Consultants | Ruben Jimenez | 8295 Aero Place, Unit 320, San Diego, CA 92123 | 11 | Lab 2 |
| Sequoia Consultants | Ruben Jimenez | 4395 East Lowell Street, Suite A, Ontario, CA 91761 | 8 | Lab 3 |
| Sequoia Consultants, Incorporated | Ruben Jimenez | 3403 West El Segundo Boulevard, Hawthorne, CA 90250 | 7 | Lab 4 |

Test Methods

California Test (CT) Certifications

Total **30** items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|------------------|----------------------------|---------------|
| CT 105 Calculations - Gradings (JTCP - HMA I / S&A) | 2020-03-19 | Expired | Roy(Chip) Denner | Lab 1, Lab 2, Lab 3, Lab 4 | (No comments) |
| CT 106 Definitions - Specific Gravity (SpG) | 2023-06-30 | Expired | Roy(Chip) Denner | Lab 1, Lab 2, Lab 3, Lab 4 | (No comments) |
| CT 125 ADMIX Sampling - ADMIXTURE | 2020-01-23 | Expired | Roy(Chip) Denner | Lab 1, Lab 2, Lab 3, Lab 4 | (No comments) |
| CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A) | 2020-01-23 | Expired | Roy(Chip) Denner | Lab 1, Lab 2, Lab 3, Lab 4 | (No comments) |
| CT 125 BIT Sampling - BITUMINOUS | 2020-01-23 | Expired | Roy(Chip) Denner | Lab 1, Lab 2, Lab 3, Lab 4 | (No comments) |
| CT 125 CEM Sampling - CEM | 2020-01-23 | Expired | Roy(Chip) Denner | Lab 1, Lab 2, Lab 3, Lab 4 | (No comments) |
| CT 125 GEN Sampling - GENERAL | 2020-01-23 | Expired | Roy(Chip) Denner | Lab 1, Lab 2, Lab 3, Lab 4 | (No comments) |
| CT 125 HMA Sampling - HMA (JTCP - HMA I) | 2020-01-23 | Expired | Roy(Chip) Denner | Lab 1, Lab 2, Lab 3, Lab 4 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|------------------|----------------------------|---------------|
| CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A) | 2020-03-19 | Expired | Roy(Chip) Denner | Lab 1, Lab 2, Lab 3, Lab 4 | (No comments) |
| CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A) | 2020-01-03 | Expired | Roy(Chip) Denner | Lab 1, Lab 2, Lab 3, Lab 4 | (No comments) |
| CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A) | 2017-03-23 | Expired | Roy(Chip) Denner | Lab 1, Lab 2, Lab 3, Lab 4 | (No comments) |
| CT 217 Sand Equivalent (JTCP - S&A) | 2020-01-03 | Expired | Roy(Chip) Denner | Lab 1, Lab 2, Lab 3, Lab 4 | (No comments) |
| CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A) | 2020-01-03 | Expired | Roy(Chip) Denner | Lab 1, Lab 2, Lab 3, Lab 4 | (No comments) |
| CT 227 Cleanness Value (JTCP - S&A) | 2018-01-15 | Expired | Roy(Chip) Denner | Lab 1, Lab 2, Lab 3, Lab 4 | (No comments) |
| CT 231 Relative Compaction - Nuclear Gage | 2021-02-27 | Expired | Brandt Houchen | Lab 1, Lab 2, Lab 3, Lab 4 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|------------------|----------------------------|---------------|
| CT 308 Bulk SpG and Density - HMA | 2020-01-23 | Expired | Roy(Chip) Denner | Lab 1, Lab 2, Lab 3, Lab 4 | (No comments) |
| CT 309 Max SpG and Density - HMA | 2020-01-23 | Expired | Roy(Chip) Denner | Lab 1, Lab 2, Lab 3, Lab 4 | (No comments) |
| CT 370 Moisture Content by Microwave | 2020-01-23 | Expired | Roy(Chip) Denner | Lab 1 | (No comments) |
| CT 382 AC Content by Ignition Oven | 2020-01-23 | Expired | Roy(Chip) Denner | Lab 1 | (No comments) |
| CT 504 Air Content of PCC - Pressure Method (JTCP - PCC) | 2023-10-13 | Expired | Jasdeep Sandhu | Lab 1, Lab 2, Lab 3, Lab 4 | (No comments) |
| CT 518 Unit Weight - PCC (JTCP - PCC) | 2023-10-13 | Expired | Jasdeep Sandhu | Lab 1, Lab 2, Lab 3, Lab 4 | (No comments) |
| CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC) | 2020-02-27 | Expired | Ashley Shaw | Lab 1, Lab 2, Lab 3, Lab 4 | (No comments) |
| CT 523.2 Section B.3 Flexural Strength (Lab Test) | 2020-02-27 | Expired | Ashley Shaw | Lab 1, Lab 3, Lab 4 | (No comments) |
| CT 524 Flexural Strength of Rapid Strength - PCC | 2020-02-27 | Expired | Ashley Shaw | Lab 1, Lab 2, Lab 3, Lab 4 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|--|-----------------|---------|----------------|----------------------------|---------------|
| CT 533 Ball Penetration - PCC | 2020-02-27 | Expired | Ashley Shaw | Lab 1, Lab 2, Lab 3, Lab 4 | (No comments) |
| CT 539 Sampling Fresh Concrete (JTCP - PCC) | 2023-10-13 | Expired | Jasdeep Sandhu | Lab 1, Lab 2, Lab 3, Lab 4 | (No comments) |
| CT 540 Making Cylinders - PCC (JTCP - PCC) | 2023-10-13 | Expired | Jasdeep Sandhu | Lab 1, Lab 2, Lab 3, Lab 4 | (No comments) |
| CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC) | 2023-10-13 | Expired | Jasdeep Sandhu | Lab 1, Lab 2, Lab 3 | (No comments) |
| CT 556 Slump - PCC (JTCP - PCC) | 2023-10-13 | Expired | Jasdeep Sandhu | Lab 1, Lab 2, Lab 3, Lab 4 | (No comments) |
| CT 557 Temperature - PCC (JTCP - PCC) | 2023-10-13 | Expired | Jasdeep Sandhu | Lab 1, Lab 2, Lab 3, Lab 4 | (No comments) |

AASHTO/ASTM Proficiencies

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------------|-----------------|--------|----------------|---------------------|----------|
| No results found. | | | | | |