

## Certificates for Brock Sperry

### Basic Information

<b>First Name</b>	Brock
<b>Last Name</b>	Sperry
<b>Status</b>	Active

### Associated Labs

Total 4 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Sequoia Consultants, Incorporated	Ruben Jimenez	361 West Grove Avenue, Orange, CA 92865	12	Lab 1
Sequoia Consultants	Ruben Jimenez	8295 Aero Place, Unit 320, San Diego, CA 92123	11	Lab 2
Sequoia Consultants	Ruben Jimenez	4395 East Lowell Street, Suite A, Ontario, CA 91761	8	Lab 3
Sequoia Consultants, Incorporated	Ruben Jimenez	3403 West El Segundo Boulevard, Hawthorne, CA 90250	7	Lab 4

### Test Methods

## California Test (CT) Certifications

Total **30** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2020-03-19	Expired	Roy(Chip) Denner	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Roy(Chip) Denner	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2020-01-23	Expired	Roy(Chip) Denner	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2020-01-23	Expired	Roy(Chip) Denner	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2020-01-23	Expired	Roy(Chip) Denner	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 125 CEM Sampling - CEM	2020-01-23	Expired	Roy(Chip) Denner	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 125 GEN Sampling - GENERAL	2020-01-23	Expired	Roy(Chip) Denner	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2020-01-23	Expired	Roy(Chip) Denner	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2020-03-19	Expired	Roy(Chip) Denner	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2020-01-03	Expired	Roy(Chip) Denner	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2017-03-23	Expired	Roy(Chip) Denner	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2020-01-03	Expired	Roy(Chip) Denner	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2020-01-03	Expired	Roy(Chip) Denner	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2018-01-15	Expired	Roy(Chip) Denner	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2021-02-27	Expired	Brandt Houchen	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 308 Bulk SpG and Density - HMA	2020-01-23	Expired	Roy(Chip) Denner	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 309 Max SpG and Density - HMA	2020-01-23	Expired	Roy(Chip) Denner	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 370 Moisture Content by Microwave	2020-01-23	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2020-01-23	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-10-13	Expired	Jasdeep Sandhu	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-10-13	Expired	Jasdeep Sandhu	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2020-02-27	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2020-02-27	Expired	Ashley Shaw	Lab 1, Lab 3, Lab 4	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2020-02-27	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 533 Ball Penetration - PCC	2020-02-27	Expired	Ashley Shaw	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-10-13	Expired	Jasdeep Sandhu	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-10-13	Expired	Jasdeep Sandhu	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-10-13	Expired	Jasdeep Sandhu	Lab 1, Lab 2, Lab 3	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2023-10-13	Expired	Jasdeep Sandhu	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2023-10-13	Expired	Jasdeep Sandhu	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					