

Certificates for Russell Duke

Basic Information

First Name	Russell
Last Name	Duke
Status	Active

Associated Labs

Total 4 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Vulcan Materials Company - Irwindale Laboratory	Timothy Reed	16009 East Foothill Boulevard, Irwindale, CA 91706	7	Lab 1
Vulcan Materials Company - Sun Valley	Tim Reed	11401 Tuxford Avenue, Sun Valley, CA 91352	7	Lab 2
Vulcan Materials Company - Corona	Tim Reed	1709 Sherborn Street, Corona, CA 92879	8	Lab 3
Vulcan Materials Company - Oro Grande Laboratory	Chris Lucero	20181 National Trails Highway, Oro Grande, CA 92368	8	Lab 4

Test Methods

California Test (CT) Certifications

Total 12 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2026-03-10	Active	David Medina	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2026-03-10	Active	David Medina	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2024-12-10	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2026-03-10	Active	David Medina	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2026-03-10	Active	David Medina	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2026-03-10	Active	David Medina	Lab 1, Lab 3	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2026-03-10	Active	David Medina	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2026-03-10	Active	David Medina	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2026-03-10	Active	David Medina	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2026-03-10	Active	David Medina	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 229 Durability (JTCP - S&A)	2026-03-10	Active	David Medina	Lab 1, Lab 3	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2024-12-10	Active	Soroosh Amelian	Lab 3	(No comments)

AASHTO/ASTM Proficiencies

Total 14 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2024-12-10	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2024-12-10	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2024-12-10	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2024-12-10	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2025-04-14	Active	Avinash Ralla	Lab 1, Lab 3	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2024-12-10	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2025-04-14	Active	Avinash Ralla	Lab 1, Lab 2, Lab 4	(No comments)
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2024-12-10	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2025-04-14	Active	Avinash Ralla	Lab 1, Lab 3	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2025-04-14	Active	Avinash Ralla	Lab 1, Lab 3	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2025-04-14	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2024-12-10	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2024-12-10	Active	Soroosh Amelian	Lab 1, Lab 3	(No comments)