

## Certificates for Steve Paynter

### Basic Information

<b>First Name</b>	Steve
<b>Last Name</b>	Paynter
<b>Status</b>	Active

### Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

### Test Methods

#### California Test (CT) Certifications

Total **16** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2018-06-20	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2018-06-20	Expired	Darla Ghidinelli	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 GEN Sampling - GENERAL	2018-06-20	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2018-06-20	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2018-07-05	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-07-05	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2018-06-20	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2018-06-20	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2018-06-20	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2018-06-20	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2018-06-20	Expired	Darla Ghidinelli	(No lab)	Created based on CT521 certificate ID42082

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2018-06-20	Expired	Darla Ghidinelli	(No lab)	Created based on CT521 certificate ID42082
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2018-06-20	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2018-06-20	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2018-06-20	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2018-06-20	Expired	Darla Ghidinelli	(No lab)	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					