Certificates for George Thorpe

Basic Information

First Name	George
Last Name	Thorpe
Status	Active

Associated Labs

Total **2** items.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D01 - Construction Consultants		, , CA	1	Lab 1
CT D01 - Boyd Road Field Laboratory	Jeffrey Zimmerer	5065 Boyd Road, Suite G, Arcata, CA 95521	1	Lab 2

Test Methods

California Test (CT) Certifications

Total **55** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-05-06	Active	Avinash Ralla	Lab 2	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Loren Lee	Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-05-06	Active	Avinash Ralla	Lab 2	(No comments)
CT 125 CEM Sampling - CEM	2021-03-26	Expired	Loren Lee	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2021-03-26	Expired	Loren Lee	Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-05-13	Active	Avinash Ralla	Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-05-06	Active	Avinash Ralla	Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-05-06	Active	Avinash Ralla	Lab 2	Opted out of CSP CT 217 on 8/30/2021, IA 135
CT 204 LL, PL, PI	2019-05-04	Expired	Loren Lee	(No lab)	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-05-06	Active	Avinash Ralla	Lab 2	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2021-04-22	Expired	Loren Lee	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2021-04-22	Expired	Loren Lee	(No lab)	(No comments)
CT 208 Apparent SpG - Fine Aggregates	2019-05-05	Expired	Loren Lee	(No lab)	(No comments)
CT 211 LA Rattler	2021-05-02	Expired	Loren Lee	(No lab)	(No comments)
CT 212 Unit Weight of Aggregates	2021-05-02	Expired	Loren Lee	(No lab)	(No comments)
CT 213 Organic Impurities of PCC sand	2021-04-22	Expired	Loren Lee	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-05-06	Active	Avinash Ralla	Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2025-05-06	Active	Avinash Ralla	Lab 2	Opted out of CSP CT 217 on 8/30/2021, IA 135

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 223 Surface Moisture in PCC Aggregates	2021-04-22	Expired	Loren Lee	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-05-06	Active	Avinash Ralla	Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-05-06	Active	Avinash Ralla	Lab 2	Opted out of CSP CT 217 on 8/30/2021, IA 135
CT 229 Durability (JTCP - S&A)	2025-05-06	Active	Avinash Ralla	Lab 2	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2024-06-08	Active	Alexis England	Lab 2	(No comments)
CT 235 Flat and Elongated Particles	2019-05-03	Expired	Loren Lee	(No lab)	(No comments)
CT 301 "R" Value	2019-04-26	Expired	Loren Lee	(No lab)	(No comments)
CT 304 Sample Preparation - HMA	2019-05-08	Expired	Loren Lee	(No lab)	(No comments)
CT 305 Swell Test - HMA (DELETED)	2019-05-08	Expired	Loren Lee	(No lab)	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2025-05-13	Active	Avinash Ralla	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2019-05-08	Expired	Loren Lee	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2019-05-08	Expired	Loren Lee	(No lab)	(No comments)
CT 366 Stabilometer	2019-05-08	Expired	Loren Lee	(No lab)	(No comments)
CT 367 OBC	2019-05-08	Expired	Loren Lee	(No lab)	(No comments)
CT 368 OBC of OGAC	2019-05-08	Expired	Loren Lee	(No lab)	(No comments)
CT 370 Moisture Content by Microwave	2019-05-08	Expired	Loren Lee	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2021-03-26	Expired	Loren Lee	(No lab)	(No comments)
CT 379 AC Content by Nuclear Gage	2019-04-28	Expired	Loren Lee	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2019-04-28	Expired	Loren Lee	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-06-29	Active	Sarbjit Grewal	Lab 2	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-06-29	Active	Sarbjit Grewal	Lab 2	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521 Compressive Strength - PCC	2021-05-02	Expired	Loren Lee	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2021-05-02	Expired	Loren Lee	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2021-05-02	Expired	Loren Lee	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2021-05-02	Expired	Loren Lee	(No lab)	(No comments)
CT 526 Profilograph	2019-04-24	Expired	Loren Lee	(No lab)	(No comments)
CT 529 Proportions in PCC - Coarse Aggregates	2019-04-24	Expired	Loren Lee	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2019-04-24	Expired	Loren Lee	Lab 2	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-06-29	Active	Sarbjit Grewal	Lab 2	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-06-29	Active	Sarbjit Grewal	Lab 2	(No comments)
CT 541 Flow Cone	2021-05-02	Expired	Loren Lee	(No lab)	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-06-29	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 547 Bridge Profilograph	2021-05-02	Expired	Loren Lee	(No lab)	(No comments)
CT 552 Relative Compaction of Polymer Concrete	2021-05-02	Expired	Loren Lee	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-06-29	Active	Sarbjit Grewal	Lab 2	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-06-29	Active	Sarbjit Grewal	Lab 2	(No comments)
CT 643 Resistivity and pH Measurements	2021-05-02	Expired	Loren Lee	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total **13** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2025-05-13	Active	Avinash Ralla	Lab 2	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-05-13	Active	Avinash Ralla	Lab 2	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-05-13	Active	Avinash Ralla	Lab 2	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-05-13	Active	Avinash Ralla	Lab 2	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2025-05-26	Active	Avinash Ralla	Lab 2	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-05-13	Active	Avinash Ralla	Lab 2	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2025-05-26	Active	Avinash Ralla	Lab 2	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-05-13	Active	Avinash Ralla	Lab 2	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2025-05-26	Active	Avinash Ralla	Lab 2	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2025-05-26	Active	Avinash Ralla	Lab 2	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2025-05-26	Active	Avinash Ralla	Lab 2	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2025-05-13	Active	Avinash Ralla	Lab 2	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2025-05-13	Active	Avinash Ralla	Lab 2	(No comments)

Unofficial Copy