

Certificates for Dave Gonzales

Basic Information

| | |
|-------------------|----------|
| First Name | Dave |
| Last Name | Gonzales |
| Status | Active |

Associated Labs

Total 2 items.

| Lab Name | Manager Name | Full Address | District | Page Alias |
|-----------------|---------------|---------------------------------------|----------|------------|
| SHN Eureka Lab | Dave Gonzales | 812 W. Wabash, Eureka, CA 95501 | 1 | Lab 1 |
| SHN Willits Lab | Dave Gonzales | 335 South Main St., Willits, CA 95490 | 1 | Lab 2 |

Test Methods

California Test (CT) Certifications

Total 24 items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|--------|----------------|---------------------|---------------|
| CT 105 Calculations - Gradings (JTCP - HMA I / S&A) | 2023-02-07 | Active | Sarbjit Grewal | Lab 2 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|--------|----------------|---------------------|---------------|
| CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A) | 2023-02-07 | Active | Sarbjit Grewal | Lab 1, Lab 2 | (No comments) |
| CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A) | 2023-02-07 | Active | Sarbjit Grewal | Lab 1, Lab 2 | (No comments) |
| CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A) | 2023-02-07 | Active | Sarbjit Grewal | Lab 1, Lab 2 | (No comments) |
| CT 205 Percent Crushed Particles (JTCP - S&A) | 2023-02-07 | Active | Sarbjit Grewal | Lab 1, Lab 2 | (No comments) |
| CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A) | 2023-02-07 | Active | Sarbjit Grewal | Lab 1, Lab 2 | (No comments) |
| CT 217 Sand Equivalent (JTCP - S&A) | 2023-02-07 | Active | Sarbjit Grewal | Lab 1, Lab 2 | (No comments) |
| CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A) | 2023-02-07 | Active | Sarbjit Grewal | Lab 1, Lab 2 | (No comments) |
| CT 227 Cleanness Value (JTCP - S&A) | 2023-02-07 | Active | Sarbjit Grewal | Lab 1, Lab 2 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|--|-----------------|---------|---------------------|---------------------|---------------|
| CT 229 Durability (JTCP - S&A) | 2023-02-07 | Active | Sarbjit Grewal | Lab 1, Lab 2 | (No comments) |
| CT 231 Relative Compaction - Nuclear Gage | 2023-06-29 | Active | Loren Lee | Lab 1, Lab 2 | (No comments) |
| CT 301 "R" Value | 2021-04-18 | Expired | Ignocencio Herrera | (No lab) | (No comments) |
| CT 308 Bulk SpG and Density - HMA | 2016-02-24 | Expired | Darla Ghidinelli | Lab 1, Lab 2 | (No comments) |
| CT 309 Max SpG and Density - HMA | 2016-02-24 | Expired | Darla Ghidinelli | Lab 1, Lab 2 | (No comments) |
| CT 366 Stabilometer | 2021-04-18 | Expired | Ignocencio Herrera | Lab 1 | (No comments) |
| CT 375 AC Density by Nuclear Gage | 2023-06-29 | Active | Loren Lee | Lab 1, Lab 2 | (No comments) |
| CT 504 Air Content of PCC - Pressure Method (JTCP - PCC) | 2023-02-09 | Active | Biplab Bhattacharya | Lab 1, Lab 2 | (No comments) |
| CT 518 Unit Weight - PCC (JTCP - PCC) | 2023-02-09 | Active | Biplab Bhattacharya | Lab 1, Lab 2 | (No comments) |
| CT 533 Ball Penetration - PCC | 2018-02-19 | Expired | Darla Ghidinelli | Lab 1, Lab 2 | (No comments) |
| CT 539 Sampling Fresh Concrete (JTCP - PCC) | 2023-02-09 | Active | Biplab Bhattacharya | Lab 1, Lab 2 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|--|-----------------|--------|---------------------|---------------------|---------------|
| CT 540 Making Cylinders - PCC (JTCP - PCC) | 2023-02-09 | Active | Biplab Bhattacharya | Lab 1, Lab 2 | (No comments) |
| CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC) | 2023-02-09 | Active | Biplab Bhattacharya | Lab 2 | (No comments) |
| CT 556 Slump - PCC (JTCP - PCC) | 2023-02-09 | Active | Biplab Bhattacharya | Lab 1, Lab 2 | (No comments) |
| CT 557 Temperature - PCC (JTCP - PCC) | 2023-02-09 | Active | Biplab Bhattacharya | Lab 1, Lab 2 | (No comments) |

AASHTO/ASTM Proficiencies

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------------|-----------------|--------|----------------|---------------------|----------|
| No results found. | | | | | |