

## Certificates for Julian Barbash

### Basic Information

<b>First Name</b>	Julian
<b>Last Name</b>	Barbash
<b>Status</b>	Active

### Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

### Test Methods

#### California Test (CT) Certifications

Total 42 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2020-03-19	Expired	Darla Ghidinelli	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2018-04-01	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2019-04-01	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 204 LL, PL, PI	2019-02-02	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2019-04-01	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2019-04-01	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2019-04-01	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 208 Apparent SpG - Fine Aggregates	2019-04-01	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 211 LA Rattler	2019-04-01	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 213 Organic Impurities of PCC sand	2019-03-28	Expired	Darla Ghidinelli	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2019-04-01	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2019-04-01	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 223 Surface Moisture in PCC Aggregates	2019-03-28	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2019-03-28	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2018-04-01	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2019-04-01	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2019-03-28	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 301 "R" Value	2019-03-28	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 304 Sample Preparation - HMA	2019-03-31	Expired	Darla Ghidinelli	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 305 Swell Test - HMA (DELETED)	2019-03-31	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2019-03-31	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 310 Hot Solvent Extraction	2019-03-31	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 367 OBC	2019-03-31	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 368 OBC of OGAC	2019-03-31	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 370 Moisture Content by Microwave	2019-03-31	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2019-03-28	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 379 AC Content by Nuclear Gage	2019-03-28	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2019-03-28	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2019-03-24	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2019-03-24	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 521 Compressive Strength - PCC	2019-03-24	Expired	Darla Ghidinelli	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2019-03-24	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2019-03-24	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 526 Profilograph	2019-03-24	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 529 Proportions in PCC - Coarse Aggregates	2019-03-24	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2019-03-24	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2019-03-24	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2019-03-24	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 541 Flow Cone	2019-03-24	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 547 Bridge Profilograph	2019-03-24	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 552 Relative Compaction of Polymer Concrete	2019-03-24	Expired	Darla Ghidinelli	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 643 Resistivity and pH Measurements	2019-03-24	Expired	Darla Ghidinelli	(No lab)	(No comments)

### AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy