

Certificates for Ken Poulter

Basic Information

First Name	Ken
Last Name	Poulter
Status	Active

Associated Labs

Total 3 items.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D01 - Construction Consultants		, , CA	1	Lab 1
Axiom Corporation	Johnathan Hou	1322 Bell Avenue, Suite 1G, Tustin, CA 92780	12	Lab 2
Atlas Technical Consultants - Sacramento	Baron Colbert	7051 Power Inn Rd, Sacramento, CA 95828	3	Lab 3

Test Methods

California Test (CT) Certifications

Total 35 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2027-01-05	Active	Gabriela Lopez	Lab 2	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2023-07-08	Expired	Jackie Treat	Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2027-01-05	Active	Gabriela Lopez	Lab 2	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2023-07-08	Expired	Jackie Treat	Lab 2	(No comments)
CT 125 CEM Sampling - CEM	2023-07-08	Expired	Jackie Treat	Lab 2	(No comments)
CT 125 GEN Sampling - GENERAL	2023-07-08	Expired	Jackie Treat	Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2026-11-17	Active	Firooz Ahmad Hosainy	Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2027-01-05	Active	Gabriela Lopez	Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2027-01-05	Active	Gabriela Lopez	Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 205 Percent Crushed Particles (JTCP - S&A)	2027-01-05	Active	Gabriela Lopez	(No lab)	(No comments)
CT 212 Unit Weight of Aggregates	2018-03-01	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2027-01-05	Active	Gabriela Lopez	Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2027-01-05	Active	Gabriela Lopez	Lab 2	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2027-01-05	Active	Gabriela Lopez	Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2027-01-05	Active	Gabriela Lopez	Lab 2	(No comments)
CT 229 Durability (JTCP - S&A)	2027-01-05	Active	Gabriela Lopez	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2025-07-06	Active	Joshua Gallaway	Lab 2, Lab 3	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2026-11-17	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 308 Bulk SpG and Density - HMA	2018-03-01	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2018-03-01	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 370 Moisture Content by Microwave	2018-03-01	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 379 AC Content by Nuclear Gage	2018-03-01	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2018-03-01	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2026-01-29	Active	Sarbjit Grewal	Lab 2	COVID-19 ACI class Order ID #2476 will be attended 01/2021
CT 518 Unit Weight - PCC (JTCP - PCC)	2026-01-29	Active	Sarbjit Grewal	Lab 2	COVID-19 ACI class Order ID #2476 will be attended 01/2021
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2023-07-08	Expired	Darla Ghidinelli	Lab 2	Created based on CT521 certificate ID42449

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2023-07-08	Expired	Darla Ghidinelli	Lab 2	Created based on CT521 certificate ID42449
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2021-08-19	Expired	Jackie Treat	Lab 2	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2023-07-08	Expired	Jackie Treat	Lab 2	(No comments)
CT 533 Ball Penetration - PCC	2023-07-08	Expired	Jackie Treat	Lab 2	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2026-01-29	Active	Sarbjit Grewal	Lab 2	COVID-19 ACI class Order ID #2476 will be attended 01/2021
CT 540 Making Cylinders - PCC (JTCP - PCC)	2026-01-29	Active	Sarbjit Grewal	Lab 2	COVID-19 ACI class Order ID #2476 will be attended 01/2021
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2026-01-29	Active	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 556 Slump - PCC (JTCP - PCC)	2026-01-29	Active	Sarbjit Grewal	Lab 2	COVID-19 ACI class Order ID #2476 will be attended 01/2021
CT 557 Temperature - PCC (JTCP - PCC)	2026-01-29	Active	Sarbjit Grewal	Lab 2	COVID-19 ACI class Order ID #2476 will be attended 01/2021

AASHTO/ASTM Proficiencies

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2026-11-17	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2026-11-17	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2026-11-17	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2026-11-17	Active	Gabriela Lopez	(No lab)	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2026-09-15	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2026-11-17	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2026-09-15	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2026-11-17	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2026-09-15	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2026-09-15	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2026-09-15	Active	Avinash Ralla	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2026-11-17	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2026-11-17	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)

Unofficial Copy