

Certificates for Craig Prentice

Basic Information

First Name	Craig
Last Name	Prentice
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Oakridge Geoscience, Incorporated	Lori Prentice	3222 Corte Malpaso, Suite 201, Camarillo, CA 93012	7	Lab 1

Test Methods

California Test (CT) Certifications

Total 16 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-02-01	Expired	Richard Hibbard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-02-01	Expired	Richard Hibbard	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2022-05-25	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2022-05-25	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2023-06-02	Expired	Seree Yenjai	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2022-05-25	Expired	Majid Fahrtosh	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2022-02-01	Expired	Richard Hibbard	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2022-02-01	Expired	Richard Hibbard	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2022-02-01	Expired	Richard Hibbard	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2022-02-01	Expired	Richard Hibbard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2022-02-01	Expired	Richard Hibbard	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2022-02-01	Expired	Richard Hibbard	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2022-02-01	Expired	Richard Hibbard	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2022-02-01	Expired	Richard Hibbard	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2022-05-25	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2022-05-25	Expired	Majid Fahrtosh	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					