

Certificates for Mark Vincent

Basic Information

First Name	Mark
Last Name	Vincent
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-01-24	Expired	David Jones	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2019-01-24	Expired	David Jones	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-01-24	Expired	David Jones	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2019-01-25	Expired	David Jones	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2019-01-23	Expired	David Jones	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2019-01-23	Expired	David Jones	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2019-01-23	Expired	David Jones	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2019-01-23	Expired	David Jones	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					