

Certificates for Jonathan Aguilar

Basic Information

First Name	Jonathan
Last Name	Aguilar
Status	Active

Associated Labs

Total **1** item.

Lab Name	Manager Name	Full Address	District	Page Alias
City of San Diego	Sarah Chavez	9491 Aero Drive, San Diego, CA 92123	11	Lab 1

Test Methods

California Test (CT) Certifications

Total **9** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2028-10-20	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 518 Unit Weight - PCC (JTCP - PCC)	2028-10-20	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2028-10-20	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2017-11-22	Expired	Afsaneh Ostovar	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2028-10-20	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2028-10-20	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2028-10-20	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2028-10-20	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2028-10-20	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy