

Certificates for Dave Waterman

Basic Information

First Name	Dave
Last Name	Waterman
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 43 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2021-04-27	Expired	Biplab Bhattacharya	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2019-07-31	Expired	Loren Lee	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-04-27	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2019-07-31	Expired	Loren Lee	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2019-07-31	Expired	Loren Lee	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2019-07-31	Expired	Loren Lee	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-02-28	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2021-04-27	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2021-04-27	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 204 LL, PL, PI	2020-05-09	Expired	Darla Ghidinelli	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 205 Percent Crushed Particles (JTCP - S&A)	2021-04-27	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2020-07-31	Expired	Loren Lee	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2020-07-31	Expired	Loren Lee	(No lab)	(No comments)
CT 208 Apparent SpG - Fine Aggregates	2020-07-31	Expired	Loren Lee	(No lab)	(No comments)
CT 211 LA Rattler	2018-09-20	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 213 Organic Impurities of PCC sand	2020-05-09	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2021-04-27	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2021-04-27	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 223 Surface Moisture in PCC Aggregates	2020-05-09	Expired	Darla Ghidinelli	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2021-04-27	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2021-04-27	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2021-04-27	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2020-07-31	Expired	Loren Lee	(No lab)	(No comments)
CT 301 "R" Value	2020-05-09	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 302 Film Stripping - HMA	2020-05-09	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 303 ABR (DELETED)	2020-05-09	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 304 Sample Preparation - HMA	2020-05-09	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 305 Swell Test - HMA (DELETED)	2020-05-09	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 307 Moisture Vapor Susceptibility - HMA	2020-05-09	Expired	Darla Ghidinelli	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 308 Bulk SpG and Density - HMA	2020-05-09	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 366 Stabilometer	2020-05-09	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 367 OBC	2020-05-09	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 368 OBC of OGAC	2020-05-09	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 371 Moisture Induced Damage (TSR)	2020-05-09	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 379 AC Content by Nuclear Gage	2020-05-09	Expired	Darla Ghidinelli	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-06-08	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-06-08	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-06-08	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-06-08	Expired	Biplab Bhattacharya	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-06-08	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2023-06-08	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2023-06-08	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 643 Resistivity and pH Measurements	2020-05-09	Expired	Darla Ghidinelli	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 23 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2021-02-28	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2021-02-28	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2021-02-28	Expired	Biplab Bhattacharya	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2021-02-28	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2019-07-31	Expired	Loren Lee	(No lab)	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2019-07-31	Expired	Loren Lee	(No lab)	(No comments)
AASHTO T96 L.A. Rattler	2019-07-31	Expired	Loren Lee	(No lab)	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2021-04-05	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2021-02-28	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2021-04-05	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T210 Aggregate Durability Index	2019-07-31	Expired	Loren Lee	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-02-28	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2021-02-28	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2021-04-05	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2021-04-05	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2019-07-31	Expired	Loren Lee	(No lab)	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2019-07-31	Expired	Loren Lee	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2021-04-05	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T312 Gyratory Compactor	2019-07-31	Expired	Loren Lee	(No lab)	(No comments)
AASHTO T324 Hamburg Wheel-Track	2020-05-09	Expired	Darla Ghidinelli	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2021-02-28	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2021-02-28	Expired	Biplab Bhattacharya	(No lab)	(No comments)
ASTM D4791 Flat and Elongated Particles	2020-05-09	Expired	Darla Ghidinelli	(No lab)	(No comments)

Unofficial Copy