

## Certificates for Mohammed Islam

### Basic Information

|                   |          |
|-------------------|----------|
| <b>First Name</b> | Mohammed |
| <b>Last Name</b>  | Islam    |
| <b>Status</b>     | Active   |

### Associated Labs

Total **1** item.

| Lab Name                          | Manager Name          | Full Address                                             | District | Page Alias |
|-----------------------------------|-----------------------|----------------------------------------------------------|----------|------------|
| CT D05 - Santa Maria Construction | Salvador Lopez-Zamora | 2053 Preisker Lane,<br>Suite E, Santa Maria,<br>CA 93454 | 5        | Lab 1      |

### Test Methods

#### California Test (CT) Certifications

Total **10** items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------|-----------------|--------|----------------|---------------------|----------|
|-------------|-----------------|--------|----------------|---------------------|----------|

| Test Method                                                     | Expiration Date | Status  | IA Responsible | Within Lab(s) Scope | Comments      |
|-----------------------------------------------------------------|-----------------|---------|----------------|---------------------|---------------|
| CT 105 Calculations - Gradings (JTCP - HMA I / S&A)             | 2019-02-06      | Expired | Jeff Rush      | Lab 1               | (No comments) |
| CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)           | 2019-02-06      | Expired | Jeff Rush      | Lab 1               | (No comments) |
| CT 125 HMA Sampling - HMA (JTCP - HMA I)                        | 2019-02-06      | Expired | Jeff Rush      | Lab 1               | (No comments) |
| CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)    | 2019-02-06      | Expired | Jeff Rush      | Lab 1               | (No comments) |
| CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A) | 2019-02-06      | Expired | Jeff Rush      | Lab 1               | (No comments) |
| CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)  | 2019-02-06      | Expired | Jeff Rush      | Lab 1               | (No comments) |
| CT 217 Sand Equivalent (JTCP - S&A)                             | 2019-02-06      | Expired | Jeff Rush      | Lab 1               | (No comments) |
| CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)     | 2019-02-06      | Expired | Jeff Rush      | Lab 1               | (No comments) |
| CT 231 Relative Compaction - Nuclear Gage                       | 2019-02-06      | Expired | Jeff Rush      | Lab 1               | (No comments) |

| Test Method                       | Expiration Date | Status  | IA Responsible | Within Lab(s) Scope | Comments      |
|-----------------------------------|-----------------|---------|----------------|---------------------|---------------|
| CT 308 Bulk SpG and Density - HMA | 2019-02-06      | Expired | Jeff Rush      | Lab 1               | (No comments) |

## AASHTO/ASTM Proficiencies

Total 6 items.

| Test Method                                                           | Expiration Date | Status  | IA Responsible | Within Lab(s) Scope | Comments      |
|-----------------------------------------------------------------------|-----------------|---------|----------------|---------------------|---------------|
| AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)  | 2019-02-06      | Expired | Jeff Rush      | Lab 1               | (No comments) |
| AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I) | 2019-02-06      | Expired | Jeff Rush      | Lab 1               | (No comments) |
| AASHTO T176 Sand Equivalent (JTCP - HMA I)                            | 2019-02-06      | Expired | Jeff Rush      | Lab 1               | (No comments) |
| AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)                 | 2019-02-06      | Expired | Jeff Rush      | Lab 1               | (No comments) |
| AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)                            | 2019-02-06      | Expired | Jeff Rush      | Lab 1               | (No comments) |

| Test Method                                                     | Expiration Date | Status  | IA Responsible | Within Lab(s) Scope | Comments      |
|-----------------------------------------------------------------|-----------------|---------|----------------|---------------------|---------------|
| AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I) | 2019-02-06      | Expired | Jeff Rush      | Lab 1               | (No comments) |