

Certificates for Evan Ray

Basic Information

First Name	Evan
Last Name	Ray
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **17** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2025-03-15	Active	Ashley Shaw	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES	2025-03-15	Active	Ashley Shaw	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 BIT Sampling - BITUMINOUS	2025-03-15	Active	Ashley Shaw	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2025-03-15	Active	Ashley Shaw	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2025-03-15	Active	Ashley Shaw	(No lab)	(No comments)
CT 125 HMA Sampling - HMA	2025-03-15	Active	Ashley Shaw	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2023-03-15	Expired	Ashley Shaw	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2027-01-28	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2027-01-28	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2027-01-28	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2023-05-18	Expired	Shaya Meisamifard	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 524 Flexural Strength of Rapid Strength - PCC	2023-05-18	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2027-01-28	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2027-01-28	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2027-01-28	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2027-01-28	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2027-01-28	Active	Sarbjit Grewal	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					