

## Certificates for Robert Stotler

### Basic Information

<b>First Name</b>	Robert
<b>Last Name</b>	Stotler
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
County of Kern	Nathan Hevle	4233 Foster Ave, Bakersfield, CA 93308	6	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 27 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-05-24	Active	Shaya Meisamifard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-05-24	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2021-08-21	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-02-18	Expired	Shaya Meisamifard	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2022-05-24	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2022-05-24	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2022-05-24	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2022-05-24	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2022-05-24	Active	Shaya Meisamifard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2022-05-24	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2022-05-24	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2022-05-24	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2022-02-18	Expired	Shaya Meisamifard	Lab 1	(No comments)
CT 301 "R" Value	2021-03-18	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2021-06-24	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2021-03-18	Expired	Majid Fahrtosh	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2021-06-24	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2021-06-24	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 366 Stabilometer	2021-06-24	Expired	Martiniano Ruiz	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 367 OBC	2021-07-02	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2021-07-24	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2021-07-24	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 521 Compressive Strength - PCC	2021-02-18	Expired	Shaya Meisamifard	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2021-08-21	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2021-05-15	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2021-05-15	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2021-05-15	Expired	Martiniano Ruiz	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					