

Certificates for Kamal Singh

Basic Information

First Name	Kamal
Last Name	Singh
Status	Active

Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Smith Emery - Ponderosa	Dinesh Shrestha	9733 Ponderosa Road, Hanford, CA 93230	6	Lab 1
Smith Emery - Hanford	Dinesh Shrestha	9501 Highway 43 , Hanford, CA 93230	6	Lab 2

Test Methods

California Test (CT) Certifications

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-01-26	Expired	Manpreet Singh	Lab 1, Lab 2	(No comments)
CT 125 CEM Sampling - CEM	2019-01-26	Expired	Manpreet Singh	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-01-26	Expired	Manpreet Singh	Lab 1, Lab 2	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2020-11-13	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2020-11-13	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2019-01-26	Expired	Manpreet Singh	Lab 2	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2019-01-26	Expired	Manpreet Singh	Lab 2	(No comments)
CT 533 Ball Penetration - PCC	2019-01-26	Expired	Manpreet Singh	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2019-01-26	Expired	Manpreet Singh	Lab 2	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2019-01-26	Expired	Manpreet Singh	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2019-01-26	Expired	Manpreet Singh	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2019-01-26	Expired	Manpreet Singh	Lab 1, Lab 2	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2019-01-26	Expired	Manpreet Singh	Lab 1, Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					