

Certificates for Erik Benson

Basic Information

First Name	Erik
Last Name	Benson
Status	Active

Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Teichert Martis Valley	Chris Fuchs	13879 Joerger Road, Truckee, CA 96161	3	Lab 1
Teichert - Spanish Springs	Pete Conlin	12435 Pyramid Lake Highway, Sparks, NV 89436	3	Lab 2

Test Methods

California Test (CT) Certifications

Total 21 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-11-04	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2020-02-08	Expired	Manpreet Singh	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-11-04	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
CT 125 GEN Sampling - GENERAL	2020-02-08	Expired	Manpreet Singh	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2020-02-08	Expired	Manpreet Singh	Lab 1, Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2020-02-08	Expired	Manpreet Singh	Lab 1, Lab 2	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2020-02-08	Expired	Manpreet Singh	Lab 1, Lab 2	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2020-02-08	Expired	Manpreet Singh	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 212 Unit Weight of Aggregates	2020-02-08	Expired	Manpreet Singh	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2020-02-08	Expired	Manpreet Singh	Lab 1, Lab 2	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2020-02-08	Expired	Manpreet Singh	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2020-02-08	Expired	Manpreet Singh	Lab 1, Lab 2	(No comments)
CT 229 Durability (JTCP - S&A)	2020-02-08	Expired	Manpreet Singh	Lab 1, Lab 2	(No comments)
CT 304 Sample Preparation - HMA	2020-02-08	Expired	Manpreet Singh	Lab 2	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	Lab 2	(No comments)
CT 308 Bulk SpG and Density - HMA	2020-02-08	Expired	Manpreet Singh	Lab 2	(No comments)
CT 309 Max SpG and Density - HMA	2020-02-08	Expired	Manpreet Singh	Lab 1, Lab 2	(No comments)
CT 366 Stabilometer	2020-02-08	Expired	Manpreet Singh	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 370 Moisture Content by Microwave	2020-02-08	Expired	Manpreet Singh	Lab 1, Lab 2	(No comments)
CT 382 AC Content by Ignition Oven	2020-02-08	Expired	Manpreet Singh	Lab 1, Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Total **16** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T84 SpG & Absorption - Fine Aggregates	2020-02-08	Expired	Manpreet Singh	Lab 1, Lab 2	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2020-02-08	Expired	Manpreet Singh	Lab 1, Lab 2	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2025-10-20	Active	Brian Ellis	Lab 2	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2025-10-20	Active	Brian Ellis	Lab 1, Lab 2	(No comments)
AASHTO T210 Aggregate Durability Index	2020-02-08	Expired	Manpreet Singh	Lab 1, Lab 2	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2025-10-20	Active	Brian Ellis	Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2025-10-20	Active	Brian Ellis	Lab 2	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2025-10-20	Active	Brian Ellis	Lab 1, Lab 2	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)