

Certificates for Scott Orr

Basic Information

First Name	Scott
Last Name	Orr
Status	Active

Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
BSK Associates	Randy Cortez	399 Lindbergh Avenue, Livermore, CA 94551	4	Lab 1
BSK Associates - Rancho Cordova	Randy Cortez	3140 Gold Camp Drive, Suite 160, Rancho Cordova, CA 95670	3	Lab 2

Test Methods

California Test (CT) Certifications

Total 18 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2027-01-05	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Matthew Chew	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2027-01-05	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA	2024-06-06	Active	Ed Gamboa	Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2027-01-05	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-04-30	Expired	Benjamin Martinez	Lab 1, Lab 2	Did not participate in 2022 CSP CT 202. Please contact CSP@dot.ca.gov for reinstatement instructions.
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2027-01-05	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2027-01-05	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2025-06-06	Active	Ed Gamboa	Lab 1, Lab 2	(No comments)
CT 375 AC Density by Nuclear Gage	2025-06-06	Active	Ed Gamboa	Lab 1, Lab 2	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2025-10-09	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2025-10-09	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2025-10-09	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2025-10-09	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2025-10-09	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 552 Relative Compaction of Polymer Concrete	2025-07-18	Active	Ed Gamboa	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 556 Slump - PCC (JTCP - PCC)	2025-10-09	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2025-10-09	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					