

Certificates for Scott Orr

Basic Information

| | |
|-------------------|--------|
| First Name | Scott |
| Last Name | Orr |
| Status | Active |

Associated Labs

Total 2 items.

| Lab Name | Manager Name | Full Address | District | Page Alias |
|------------------------------------|--------------|-----------------------------------------------------|----------|------------|
| BSK Associates | Randy Cortez | 399 Lindbergh Avenue, Livermore, CA 94551 | 4 | Lab 1 |
| BSK Associates - Rancho Cordova | Randy Cortez | 9332 Tech Center Drive#100, Sacramento, CA 95826 | 3 | Lab 2 |

Test Methods

California Test (CT) Certifications

Total 17 items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-----------------------------------------------------------------|-----------------|---------|-------------------|---------------------|-------------------------------------------------------------------------------------------------------|
| CT 105 Calculations - Gradings (JTCP - HMA I / S&A) | 2027-01-05 | Active | Gabriela Lopez | Lab 1, Lab 2 | (No comments) |
| CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A) | 2027-01-05 | Active | Gabriela Lopez | Lab 1, Lab 2 | (No comments) |
| CT 125 HMA Sampling - HMA | 2026-06-28 | Active | Ed Gamboa | Lab 2 | (No comments) |
| CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A) | 2027-01-05 | Active | Gabriela Lopez | Lab 1, Lab 2 | (No comments) |
| CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A) | 2024-04-30 | Expired | Benjamin Martinez | Lab 1, Lab 2 | Did not participate in 2022 CSP CT 202. Please contact CSP@dot.ca.gov for reinstatement instructions. |
| CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A) | 2027-01-05 | Active | Gabriela Lopez | Lab 1, Lab 2 | (No comments) |
| CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A) | 2027-01-05 | Active | Gabriela Lopez | Lab 1, Lab 2 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|------------------------------------------------------------|-----------------|--------|----------------|---------------------|---------------|
| CT 231 Relative Compaction - Nuclear Gage | 2025-06-06 | Active | Ed Gamboa | Lab 1, Lab 2 | (No comments) |
| CT 375 AC Density by Nuclear Gage | 2025-06-06 | Active | Ed Gamboa | Lab 1, Lab 2 | (No comments) |
| CT 504 Air Content of PCC - Pressure Method (JTCP - PCC) | 2025-10-09 | Active | Sarbjit Grewal | Lab 1, Lab 2 | (No comments) |
| CT 518 Unit Weight - PCC (JTCP - PCC) | 2025-10-09 | Active | Sarbjit Grewal | Lab 1, Lab 2 | (No comments) |
| CT 539 Sampling Fresh Concrete (JTCP - PCC) | 2025-10-09 | Active | Sarbjit Grewal | Lab 1, Lab 2 | (No comments) |
| CT 540 Making Cylinders - PCC (JTCP - PCC) | 2025-10-09 | Active | Sarbjit Grewal | Lab 1, Lab 2 | (No comments) |
| CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC) | 2025-10-09 | Active | Sarbjit Grewal | Lab 1, Lab 2 | (No comments) |
| CT 552 Relative Compaction of Polymer Concrete | 2025-07-18 | Active | Ed Gamboa | Lab 1 | (No comments) |
| CT 556 Slump - PCC (JTCP - PCC) | 2025-10-09 | Active | Sarbjit Grewal | Lab 1, Lab 2 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---------------------------------------|-----------------|--------|----------------|---------------------|---------------|
| CT 557 Temperature - PCC (JTCP - PCC) | 2025-10-09 | Active | Sarbjit Grewal | Lab 1, Lab 2 | (No comments) |

AASHTO/ASTM Proficiencies

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------------|-----------------|--------|----------------|---------------------|----------|
| No results found. | | | | | |

Unofficial Copy