

Certificates for Breanna McLeod Debler

Basic Information

First Name	Breanna
Last Name	McLeod Debler
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 35 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-04-26	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2021-10-03	Expired	Jessaneil Perez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-04-26	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2023-01-24	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2022-04-26	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2022-04-26	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 204 LL, PL, PI	2021-10-03	Expired	Jessaneil Perez	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2022-04-26	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2021-10-03	Expired	Jessaneil Perez	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2021-10-03	Expired	Jessaneil Perez	(No lab)	(No comments)
CT 211 LA Rattler	2020-02-07	Expired	Manpreet Singh	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 212 Unit Weight of Aggregates	2021-10-03	Expired	Jessaneil Perez	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2022-04-26	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2022-04-26	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2022-04-26	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2022-04-26	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2022-04-26	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2020-02-06	Expired	Manpreet Singh	(No lab)	(No comments)
CT 235 Flat and Elongated Particles	2021-10-03	Expired	Jessaneil Perez	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2021-10-03	Expired	Jessaneil Perez	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2021-10-03	Expired	Jessaneil Perez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 370 Moisture Content by Microwave	2021-10-03	Expired	Jessaneil Perez	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2021-10-03	Expired	Jessaneil Perez	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-01-26	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-01-26	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2020-10-03	Expired	Jessaneil Perez	(No lab)	Created based on CT521 certificate ID62849
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2020-10-03	Expired	Jessaneil Perez	(No lab)	Created based on CT521 certificate ID62849
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2020-10-03	Expired	Jessaneil Perez	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2020-10-03	Expired	Jessaneil Perez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 529 Proportions in PCC - Coarse Aggregates	2020-10-03	Expired	Jessaneil Perez	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-01-26	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-01-26	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-01-26	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-01-26	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-01-26	Expired	Biplab Bhattacharya	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 21 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2023-01-24	Expired	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2023-01-24	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2023-01-24	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2023-01-24	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2021-10-03	Expired	Jessaneil Perez	(No lab)	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2021-10-03	Expired	Jessaneil Perez	(No lab)	(No comments)
AASHTO T96 L.A. Rattler	2020-02-07	Expired	Manpreet Singh	(No lab)	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2023-01-16	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2023-01-24	Expired	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2023-01-16	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T210 Aggregate Durability Index	2021-10-03	Expired	Jessaneil Perez	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2023-01-24	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2023-01-16	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2023-01-16	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2020-02-06	Expired	Manpreet Singh	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2023-01-16	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T312 Gyratory Compactor	2020-02-07	Expired	Manpreet Singh	(No lab)	(No comments)
AASHTO T324 Hamburg Wheel-Track	2020-02-07	Expired	Manpreet Singh	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2023-01-24	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2023-01-24	Expired	Sarbjit Grewal	(No lab)	(No comments)
ASTM D4791 Flat and Elongated Particles	2021-10-03	Expired	Jessaneil Perez	(No lab)	(No comments)

Unofficial Copy