

## Certificates for Joel Pfeiffer

### Basic Information

<b>First Name</b>	Joel
<b>Last Name</b>	Pfeiffer
<b>Status</b>	Active

### Associated Labs

Total 3 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Santa Fe Aggregates - Winton (Teichert)	Chris Fuchs	11650 North Shaffer Road, Winton, CA 95388	4	Lab 1
Santa Fe Aggregates - Waterford (Teichert)	Chris Fuchs	17300 Yosemite Boulevard, Waterford, CA 95304	10	Lab 2
Teichert Materials - Vernalis	Trenton Crouse	36314 South Bird Road, Tracy, CA 95304	10	Lab 3

### Test Methods

### California Test (CT) Certifications

Total 23 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-11-04	Active	Dalton LaBoskey	Lab 1, Lab 2, Lab 3	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2022-05-05	Expired	Ed Gamboa	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-11-04	Active	Dalton LaBoskey	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 GEN Sampling - GENERAL	2020-02-07	Expired	Manpreet Singh	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	Lab 1, Lab 2, Lab 3	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2020-02-07	Expired	Manpreet Singh	Lab 1, Lab 2, Lab 3	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2020-02-07	Expired	Manpreet Singh	Lab 1, Lab 2, Lab 3	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2020-02-08	Expired	Manpreet Singh	Lab 1, Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 206 SpG & Absorption - Coarse Aggregates	2022-05-05	Expired	Ed Gamboa	Lab 3	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2022-05-05	Expired	Ed Gamboa	Lab 3	(No comments)
CT 211 LA Rattler	2021-05-05	Expired	Ed Gamboa	Lab 3	(No comments)
CT 212 Unit Weight of Aggregates	2021-05-05	Expired	Ed Gamboa	Lab 3	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2020-02-07	Expired	Manpreet Singh	Lab 1, Lab 2, Lab 3	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2020-02-07	Expired	Manpreet Singh	Lab 1, Lab 2, Lab 3	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2020-02-08	Expired	Manpreet Singh	Lab 1, Lab 2, Lab 3	(No comments)
CT 229 Durability (JTCP - S&A)	2020-02-08	Expired	Manpreet Singh	Lab 1, Lab 2, Lab 3	(No comments)
CT 304 Sample Preparation - HMA	2021-05-05	Expired	Ed Gamboa	Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2021-05-05	Expired	Ed Gamboa	Lab 3	(No comments)
CT 309 Max SpG and Density - HMA	2021-05-05	Expired	Ed Gamboa	Lab 3	(No comments)
CT 366 Stabilometer	2021-05-05	Expired	Ed Gamboa	Lab 3	(No comments)
CT 370 Moisture Content by Microwave	2022-05-05	Expired	Ed Gamboa	Lab 1, Lab 2, Lab 3	(No comments)
CT 382 AC Content by Ignition Oven	2022-05-05	Expired	Ed Gamboa	Lab 1, Lab 2, Lab 3	(No comments)

## AASHTO/ASTM Proficiencies

Total **20** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	Lab 1, Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	Lab 1, Lab 3	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2022-05-05	Expired	Ed Gamboa	Lab 3	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2022-05-05	Expired	Ed Gamboa	Lab 3	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2026-01-26	Active	Avinash Ralla	Lab 3	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2026-01-26	Active	Avinash Ralla	Lab 1, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T210 Aggregate Durability Index	2022-05-05	Expired	Ed Gamboa	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2026-01-26	Active	Avinash Ralla	Lab 3	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2026-01-26	Active	Avinash Ralla	Lab 3	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2022-05-05	Expired	Ed Gamboa	Lab 3	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2026-01-26	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T312 Gyratory Compactor	2022-05-05	Expired	Ed Gamboa	Lab 3	(No comments)
AASHTO T324 Hamburg Wheel-Track	2022-05-05	Expired	Ed Gamboa	Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	Lab 1, Lab 2, Lab 3	(No comments)
ASTM D4791 Flat and Elongated Particles	2022-05-05	Expired	Ed Gamboa	Lab 3	(No comments)

Unofficial Copy