

## Certificates for Clintwood Robancho

### Basic Information

<b>First Name</b>	Clintwood
<b>Last Name</b>	Robancho
<b>Status</b>	Active

### Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
NV5	Ryan DeVault	2015 Westwind Drive, Suite 0, Bakersfield, CA 93301	6	Lab 1
NV5 West, Incorporated	Shaun Simon	1868 Palma Drive, Suite A, Ventura, CA 93003	7	Lab 2

### Test Methods

#### California Test (CT) Certifications

Total 24 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-04-29	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-03-11	Expired	Martiniano Ruiz	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-04-29	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 125 GEN Sampling - GENERAL	2019-12-12	Expired	Jessaneil Perez	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-05-27	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-04-29	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-04-29	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-04-29	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2023-10-04	Expired	Martiniano Ruiz	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-04-29	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2025-04-29	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-04-29	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-04-29	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 229 Durability (JTCP - S&A)	2025-04-29	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2025-03-09	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2025-03-09	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2023-10-04	Expired	Martiniano Ruiz	Lab 1, Lab 2	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2025-05-27	Active	Avinash Ralla	Lab 2	Adjusted date obtained to match date when HMA I was taken.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 308 Bulk SpG and Density - HMA	2023-10-04	Expired	Martiniano Ruiz	Lab 1, Lab 2	(No comments)
CT 309 Max SpG and Density - HMA	2023-10-04	Expired	Martiniano Ruiz	Lab 1, Lab 2	(No comments)
CT 370 Moisture Content by Microwave	2019-12-13	Expired	Jessaneil Perez	Lab 2	(No comments)
CT 382 AC Content by Ignition Oven	2025-03-09	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 541 Flow Cone	2024-05-11	Expired	Rahshaun Spears	Lab 1	(No comments)
CT 552 Relative Compaction of Polymer Concrete	2024-07-19	Active	Sarbjit Grewal	(No lab)	(No comments)

## AASHTO/ASTM Proficiencies

Total 21 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2025-05-27	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-05-27	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-05-27	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-05-27	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2023-10-04	Expired	Martiniano Ruiz	Lab 1, Lab 2	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2023-10-04	Expired	Martiniano Ruiz	Lab 1, Lab 2	(No comments)
AASHTO T96 L.A. Rattler	2020-12-17	Expired	Manpreet Singh	Lab 2	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2025-05-12	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-05-27	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2025-05-12	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
AASHTO T210 Aggregate Durability Index	2023-10-04	Expired	Martiniano Ruiz	Lab 1, Lab 2	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-05-27	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2025-05-12	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2025-05-12	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2023-10-04	Expired	Martiniano Ruiz	Lab 1, Lab 2	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2023-10-04	Expired	Martiniano Ruiz	Lab 1, Lab 2	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2025-05-12	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
AASHTO T312 Gyratory Compactor	2024-03-09	Expired	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T324 Hamburg Wheel-Track	2025-03-09	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2025-05-27	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2025-05-27	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)

Unofficial Copy