

Certificates for Scott Ross

Basic Information

First Name	Scott
Last Name	Ross
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Santa Fe Aggregates - Winton (Teichert)	Chris Fuchs	11650 N Shaffer Road, Winton, CA 95388	4	Lab 1

Test Methods

California Test (CT) Certifications

Total 12 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2020-02-06	Expired	Manpreet Singh	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2020-02-06	Expired	Manpreet Singh	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2020-02-06	Expired	Manpreet Singh	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2020-02-06	Expired	Manpreet Singh	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2020-02-06	Expired	Manpreet Singh	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2020-02-06	Expired	Manpreet Singh	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2020-02-06	Expired	Manpreet Singh	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2020-02-06	Expired	Manpreet Singh	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2020-02-06	Expired	Manpreet Singh	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2020-02-06	Expired	Manpreet Singh	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 370 Moisture Content by Microwave	2020-02-06	Expired	Manpreet Singh	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2020-02-06	Expired	Manpreet Singh	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 7 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2020-02-06	Expired	Manpreet Singh	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2020-02-06	Expired	Manpreet Singh	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2020-02-06	Expired	Manpreet Singh	Lab 1	(No comments)
AASHTO T210 Aggregate Durability Index	2020-02-06	Expired	Manpreet Singh	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2020-02-06	Expired	Manpreet Singh	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2020-02-06	Expired	Manpreet Singh	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2020-02-06	Expired	Manpreet Singh	Lab 1	(No comments)

Unofficial Copy