

Certificates for Jared Leisure

Basic Information

First Name	Jared
Last Name	Leisure
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Geocon	Jeremy Zorne	3160 Gold Valley Drive, Suite 800, Rancho Cordova, CA 95742	3	Lab 1

Test Methods

California Test (CT) Certifications

Total 16 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2026-05-16	Active	Rahshaun Spears	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 BIT Sampling - BITUMINOUS	2022-05-21	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2026-05-16	Active	Rahshaun Spears	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2026-05-16	Active	Rahshaun Spears	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2026-05-16	Active	Rahshaun Spears	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2026-05-16	Active	Rahshaun Spears	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2026-04-30	Active	Avinash Ralla	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2026-04-30	Active	Avinash Ralla	Lab 1	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2026-04-30	Active	Avinash Ralla	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2021-03-12	Expired	Bomasur Banzon	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2026-04-30	Active	Avinash Ralla	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 540 Making Cylinders - PCC (JTCP - PCC)	2026-04-30	Active	Avinash Ralla	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2026-04-30	Active	Avinash Ralla	(No lab)	(No comments)
CT 552 Relative Compaction of Polymer Concrete	2020-04-05	Expired	Bomasur Banzon	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2026-04-30	Active	Avinash Ralla	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2026-04-30	Active	Avinash Ralla	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					