

Certificates for Albert Buffet

Basic Information

First Name	Albert
Last Name	Buffet
Status	Active

Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Koury Engineering	Gerrit Schriemer	5711 Schaefer Ave., Chino, CA 91710	8	Lab 1
MB Professional Services, Incorporated	Vance Olsen	786 South Gifford Ave, San Bernardino, CA 92408	8	Lab 2

Test Methods

California Test (CT) Certifications

Total 18 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2022-02-10	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-11-15	Expired	Seree Yenjai	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-11-15	Expired	Seree Yenjai	Lab 2	(No comments)
CT 204 LL, PL, PI	2021-02-06	Expired	Majid Fehrtosh	Lab 1, Lab 2	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2021-02-06	Expired	Majid Fehrtosh	Lab 1, Lab 2	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2021-02-06	Expired	Majid Fehrtosh	Lab 1, Lab 2	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2022-02-10	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2020-07-18	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2020-07-18	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2019-11-15	Expired	Seree Yenjai	Lab 1, Lab 2	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2019-11-15	Expired	Seree Yenjai	Lab 1, Lab 2	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2019-11-15	Expired	Seree Yenjai	Lab 1, Lab 2	(No comments)
CT 533 Ball Penetration - PCC	2021-02-06	Expired	Majid Fahrtosh	Lab 1, Lab 2	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2020-07-18	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2020-07-18	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2020-07-18	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2020-07-18	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2020-07-18	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy