

Certificates for Kathleen Menefee

Basic Information

First Name	Kathleen
Last Name	Menefee
Status	Active

Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Koury Engineering & Testing, Inc.	Kameron Moinian	14280 Euclid Avenue, Chino, CA 91710	8	Lab 1
MB Professional Services Inc	Kurt Brown	14280 Euclid Ave, Chino, CA 91710	8	Lab 2

Test Methods

California Test (CT) Certifications

Total 17 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-09-03	Incomplete	Soroosh Amelian	Lab 1, Lab 2	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-09-03	Incomplete	Soroosh Amelian	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2025-08-28	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2025-08-28	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2025-08-28	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2025-08-28	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2025-08-28	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2025-08-28	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 557 Temperature - PCC (JTCP - PCC)	2025-08-28	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy