

Certificates for Ricardo Reynaga

Basic Information

First Name	Ricardo
Last Name	Reynaga
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **18** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-08-16	Expired	Seree Yenjai	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES	2021-08-25	Expired	Brandt Houchen	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 GEN Sampling - GENERAL	2021-08-25	Expired	Brandt Houchen	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-08-16	Expired	Seree Yenjai	(No lab)	(No comments)
CT 125 HMA Sampling - HMA	2021-08-25	Expired	Brandt Houchen	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2021-08-25	Expired	Brandt Houchen	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2021-08-25	Expired	Brandt Houchen	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2025-11-13	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2025-11-13	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2021-08-25	Expired	Brandt Houchen	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2019-08-16	Expired	Seree Yenjai	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2021-08-25	Expired	Brandt Houchen	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 533 Ball Penetration - PCC	2021-08-25	Expired	Brandt Houchen	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2025-11-13	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2025-11-13	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2025-11-13	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2025-11-13	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2025-11-13	Active	Sarbjit Grewal	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					