

Certificates for Eric Atkins

Basic Information

First Name	Eric
Last Name	Atkins
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
District 5 HQ Materials	Daniel Gingras	50 Higuera Street, San Luis Obispo, CA 93401	5	Lab 1

Test Methods

California Test (CT) Certifications

Total 34 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-03-08	Active	Soroosh Amelian	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-03-08	Active	Soroosh Amelian	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2024-03-08	Active	Soroosh Amelian	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-04-30	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-04-30	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 204 LL, PL, PI	2023-12-30	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-04-30	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2023-12-23	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2023-12-23	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 211 LA Rattler	2023-12-23	Active	Martiniano Ruiz	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 212 Unit Weight of Aggregates	2023-12-23	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 213 Organic Impurities of PCC sand	2023-12-30	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-04-30	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-04-30	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-04-30	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-04-30	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2024-04-30	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 301 "R" Value	2023-12-30	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 302 Film Stripping - HMA	2021-08-28	Expired	Jeff Rush	Lab 1	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2024-03-08	Active	Soroosh Amelian	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 368 OBC of OGAC	2022-12-23	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 384 Combined Grade for HMA using up to 25% RAP	2023-12-23	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-05-04	Active	Richard Hibbard	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-05-04	Active	Richard Hibbard	(No lab)	(No comments)
CT 521 Compressive Strength - PCC	2021-12-13	Expired	Jeff Rush	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2021-12-13	Expired	Jeff Rush	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2021-12-13	Expired	Jeff Rush	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2021-12-13	Expired	Jeff Rush	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-05-04	Active	Richard Hibbard	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-05-04	Active	Richard Hibbard	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-05-04	Active	Richard Hibbard	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-05-04	Active	Richard Hibbard	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-05-04	Active	Richard Hibbard	(No lab)	(No comments)
CT 643 Resistivity and pH Measurements	2023-12-30	Active	Martiniano Ruiz	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total **23** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2024-03-08	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2024-03-08	Active	Soroosh Amelian	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T30 Mechanical Analysis of Extracted Aggregate	2022-12-30	Active	Martiniano Ruiz	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2024-03-08	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2024-03-08	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2023-12-23	Active	Martiniano Ruiz	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2023-12-23	Active	Martiniano Ruiz	Lab 1	(No comments)
AASHTO T96 L.A. Rattler	2023-12-23	Active	Martiniano Ruiz	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2024-02-18	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2024-03-08	Active	Soroosh Amelian	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2024-02-18	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-04-06	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2024-03-08	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2024-02-18	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2024-02-18	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2023-12-23	Active	Martiniano Ruiz	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2024-02-18	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T312 Gyratory Compactor	2023-12-23	Active	Martiniano Ruiz	Lab 1	(No comments)
AASHTO T324 Hamburg Wheel-Track	2023-12-23	Active	Martiniano Ruiz	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2024-03-08	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2024-03-08	Active	Soroosh Amelian	Lab 1	(No comments)
ASTM D4791 Flat and Elongated Particles	2023-12-30	Active	Martiniano Ruiz	Lab 1	(No comments)
SP 2 Asphalt Mixture Volumetrics	2023-12-30	Active	Martiniano Ruiz	(No lab)	(No comments)