

Certificates for Darren Badenell

Basic Information

First Name	Darren
Last Name	Badenell
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 9 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2021-04-06	Expired	Biplab Bhattacharya	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-05-24	Expired	Jeff Rush	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-05-24	Expired	Jeff Rush	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2020-03-19	Expired	Jeff Rush	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-05-24	Expired	Jeff Rush	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-05-24	Expired	Jeff Rush	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2018-05-24	Expired	Jeff Rush	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2018-05-24	Expired	Jeff Rush	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2018-05-24	Expired	Jeff Rush	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 12 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2021-04-06	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2018-05-24	Expired	Jeff Rush	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2021-04-06	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2021-04-06	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2021-04-06	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2018-05-24	Expired	Jeff Rush	(No lab)	(No comments)
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-04-06	Expired	Biplab Bhattacharya	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2021-04-06	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2018-05-24	Expired	Jeff Rush	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2018-05-24	Expired	Jeff Rush	(No lab)	(No comments)
AASHTO T312 Gyratory Compactor	2018-05-24	Expired	Jeff Rush	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2021-04-06	Expired	Biplab Bhattacharya	(No lab)	(No comments)