

## Certificates for Trena Freitas

### Basic Information

<b>First Name</b>	Trena
<b>Last Name</b>	Freitas
<b>Status</b>	Active

### Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D01 - Boyd Road Field Laboratory	Jeffrey Zimmerer	5065 Boyd Road, Suite G, Arcata, CA 95521	1	Lab 1
CT D01 - Willow Creek Field Laboratory	Jeffrey Zimmerer	Highway 96 PM 0.60 (Caltrans Maintenance Yard), Willow Creek, CA 95573	1	Lab 2

### Test Methods

## California Test (CT) Certifications

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-04-30	Expired	Soroosh Amelian	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-04-30	Expired	Soroosh Amelian	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2024-04-30	Expired	Soroosh Amelian	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2022-10-18	Expired	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2022-10-18	Expired	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2022-10-18	Expired	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2022-10-18	Expired	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2022-10-18	Expired	Shaya Meisamifard	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2022-10-18	Expired	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2022-10-18	Expired	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
CT 229 Durability (JTCP - S&A)	2022-10-18	Expired	Shaya Meisamifard	Lab 1, Lab 2	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2023-12-21	Expired	Alexis England	Lab 1, Lab 2	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2024-04-30	Expired	Soroosh Amelian	(No lab)	(No comments)

## AASHTO/ASTM Proficiencies

Total 14 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2024-04-30	Expired	Soroosh Amelian	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2024-04-30	Expired	Soroosh Amelian	Lab 1, Lab 2	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2024-04-30	Expired	Soroosh Amelian	Lab 1, Lab 2	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2024-04-30	Expired	Soroosh Amelian	Lab 1, Lab 2	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2025-06-30	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2024-04-30	Expired	Soroosh Amelian	Lab 1, Lab 2	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2025-06-30	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-04-06	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2024-04-30	Expired	Soroosh Amelian	Lab 1, Lab 2	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2025-06-30	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2025-06-30	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2025-06-30	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2024-04-30	Expired	Soroosh Amelian	Lab 1, Lab 2	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2024-04-30	Expired	Soroosh Amelian	Lab 1, Lab 2	(No comments)