

## Certificates for Eric Colligan

### Basic Information

<b>First Name</b>	Eric
<b>Last Name</b>	Colligan
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
RMA Group	Matthew Hansen	3150 Fitzgerald Road, Rancho Cordova, CA 95742	3	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 15 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 CEM Sampling - CEM	2020-05-23	Expired	Jessaneil Perez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 GEN Sampling - GENERAL	2023-04-12	Expired	Maryam Shahbazi	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2020-05-23	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2023-01-05	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2023-04-12	Expired	Maryam Shahbazi	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-01-27	Expired	Richard Hibbard	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-01-27	Expired	Richard Hibbard	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2020-05-23	Expired	Jessaneil Perez	Lab 1	Created based on CT521 certificate ID60639
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2020-05-23	Expired	Jessaneil Perez	Lab 1	Created based on CT521 certificate ID60639
CT 524 Flexural Strength of Rapid Strength - PCC	2020-05-23	Expired	Jessaneil Perez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-01-27	Expired	Richard Hibbard	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-01-27	Expired	Richard Hibbard	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-01-27	Expired	Richard Hibbard	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2023-01-27	Expired	Richard Hibbard	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2023-01-27	Expired	Richard Hibbard	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					