

Certificates for Alexandra Stigall

Basic Information

First Name	Alexandrea
Last Name	Stigall
Status	Active

Associated Labs

Total 8 items.

Lab Name	Manager Name	Full Address	District	Page Alias
RMA Group - Main Laboratory	Thomas Junker	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 1
RMA Group -at All American Asphalt Corona	Steve Pitzer	1776 All American Way, Corona, CA 92879	8	Lab 2
RMA Group - PCC #7	Steve Pitzer	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 3
RMA Group - PCC #1	Slawek Dymerski	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 4
RMA Group - PCC#2	Slawek Dymerski	12130 Santa Margarita Court, Rancho Cucamonga, CA 91730	8	Lab 5
RMA Group	Slawek Dymerski	10671 Jeffrey Road, Irvine, CA 92602	12	Lab 6

Lab Name	Manager Name	Full Address	District	Page Alias
RMA Group	Marta Landaverde	15505 East Lincoln Avenue, Orange, CA 92856	12	Lab 7
RMA Ehrenberg HMA Mobile	Steve Pitzer	Cibola Road, Ehrenberg, AZ 85328	8	Lab 8

Test Methods

California Test (CT) Certifications

Total **19** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-09-10	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7, Lab 8	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-09-10	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7, Lab 8	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2024-09-10	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7, Lab 8	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-07-16	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7, Lab 8	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-07-16	Active	Benjamin Martinez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7, Lab 8	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-07-16	Active	Soroosh Amelian	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-07-16	Active	Soroosh Amelian	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2024-07-16	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7, Lab 8	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-07-16	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6, Lab 7, Lab 8	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-07-16	Active	Soroosh Amelian	Lab 1, Lab 3, Lab 4, Lab 5, Lab 7	(No comments)
CT 229 Durability (JTCP - S&A)	2024-07-16	Active	Soroosh Amelian	Lab 1	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2024-09-10	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 7, Lab 8	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-03-17	Expired	Biplab Bhattacharya	Lab 1, Lab 3, Lab 4, Lab 5	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-03-17	Expired	Biplab Bhattacharya	Lab 1, Lab 3, Lab 4, Lab 5	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-03-17	Expired	Biplab Bhattacharya	Lab 1, Lab 3, Lab 4, Lab 5	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-03-17	Expired	Biplab Bhattacharya	Lab 1, Lab 3, Lab 4, Lab 5	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-03-17	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2023-03-17	Expired	Biplab Bhattacharya	Lab 1, Lab 3	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2023-03-17	Expired	Biplab Bhattacharya	Lab 1, Lab 3, Lab 4, Lab 5	(No comments)

AASHTO/ASTM Proficiencies

Total 14 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2024-09-10	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 6, Lab 7, Lab 8	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2024-09-10	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 6, Lab 7, Lab 8	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2024-09-10	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 6, Lab 7, Lab 8	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2024-09-10	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 6, Lab 7, Lab 8	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2024-09-23	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2024-09-10	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 6, Lab 7, Lab 8	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2024-09-23	Active	Sarbjit Grewal	Lab 1, Lab 7	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-06-15	Expired	Biplab Bhattacharya	Lab 1, Lab 2, Lab 6, Lab 7	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2024-09-10	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 6, Lab 7, Lab 8	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2024-09-23	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2024-09-23	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2024-09-23	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 6, Lab 7, Lab 8	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2024-09-10	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 6, Lab 7, Lab 8	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2024-09-10	Active	Soroosh Amelian	Lab 1	(No comments)