

Certificates for Levi Henry

Basic Information

First Name	Levi
Last Name	Henry
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **30** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2020-01-24	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2021-05-16	Expired	Natalie Rivinius	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2021-05-16	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2023-01-24	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2021-05-16	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2021-05-16	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2021-05-16	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2023-01-24	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2022-06-07	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2022-06-07	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 204 LL, PL, PI	2021-05-16	Expired	Natalie Rivinius	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 205 Percent Crushed Particles (JTCP - S&A)	2022-06-07	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2021-05-16	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2021-05-16	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 213 Organic Impurities of PCC sand	2021-05-16	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2022-06-07	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2022-06-07	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2022-06-07	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2022-06-07	Expired	Jasdeep Sandhu	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2022-06-07	Expired	Jasdeep Sandhu	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 234 Uncompacted void - Fine Aggregates	2021-05-16	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 235 Flat and Elongated Particles	2021-05-16	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 304 Sample Preparation - HMA	2021-05-16	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2021-05-16	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2021-05-16	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2021-05-16	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 521 Compressive Strength - PCC	2021-05-16	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2021-05-16	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2021-05-16	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2021-05-16	Expired	Natalie Rivinius	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total **17** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2023-01-24	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2023-01-24	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2023-01-24	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2023-01-24	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2022-11-07	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2023-01-24	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2022-11-07	Expired	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T210 Aggregate Durability Index	2021-05-16	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2023-01-24	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2022-11-07	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2022-11-07	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2019-04-05	Expired	Jackie Treat	(No lab)	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2021-05-16	Expired	Natalie Rivinius	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2022-11-07	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2023-01-24	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2023-01-24	Expired	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
ASTM D4791 Flat and Elongated Particles	2021-05-16	Expired	Natalie Rivinius	(No lab)	(No comments)

Unofficial Copy