

Certificates for Jasen Olsen

Basic Information

First Name	Jasen
Last Name	Olsen
Status	Active

Associated Labs

Total 6 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Vulcan Materials Company - Irwindale Laboratory	Timothy Reed	16009 East Foothill Boulevard, Irwindale, CA 91706	7	Lab 1
Vulcan Materials Company - Saticoy	Jeff Pollard	6029 Vineyard Avenue, Oxnard, CA 93030	7	Lab 2
Vulcan Materials Company - Sun Valley	Tim Reed	11401 Tuxford Avenue, Sun Valley, CA 91352	7	Lab 3
Pavement Engineering, Incorporated	David Van Matre	3485 Sacramento Drive, Suite A, San Luis Obispo, CA 93401	5	Lab 4
Vulcan Materials Company - Oro Grande Laboratory	Chris Lucero	20181 National Trails Highway, Oro Grande, CA 92368	8	Lab 5
Vulcan Materials Company - Palmdale	Tim Reed	6851 East Avenue T, Littlerock, CA 93543	7	Lab 6

Test Methods

California Test (CT) Certifications

Total 12 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2027-06-07	Active	Gabriela Lopez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2027-06-07	Active	Gabriela Lopez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2027-06-07	Active	Gabriela Lopez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-07-16	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-07-16	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-07-16	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 4	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-07-16	Active	Soroosh Amelian	Lab 4	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-07-16	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-07-16	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-07-16	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 229 Durability (JTCP - S&A)	2024-07-16	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 4, Lab 6	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2027-06-07	Active	Gabriela Lopez	Lab 4, Lab 6	(No comments)

AASHTO/ASTM Proficiencies

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2027-06-07	Active	Gabriela Lopez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2027-06-07	Active	Gabriela Lopez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2027-06-07	Active	Gabriela Lopez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2027-06-07	Active	Gabriela Lopez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2024-07-01	Expired	Sarbjit Grewal	Lab 1, Lab 2, Lab 4	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2027-06-07	Active	Gabriela Lopez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2024-07-01	Expired	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2027-06-07	Active	Gabriela Lopez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2024-07-01	Expired	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2024-07-01	Expired	Sarbjit Grewal	Lab 1, Lab 2, Lab 4	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2024-07-01	Expired	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2027-06-07	Active	Gabriela Lopez	Lab 1, Lab 2, Lab 3, Lab 4, Lab 6	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2027-06-07	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)