

## Certificates for Casey Farrington

### Basic Information

|                   |            |
|-------------------|------------|
| <b>First Name</b> | Casey      |
| <b>Last Name</b>  | Farrington |
| <b>Status</b>     | Active     |

### Associated Labs

Total 1 item.

| Lab Name       | Manager Name | Full Address                                   | District | Page Alias |
|----------------|--------------|--|----------|------------|
| BoDean Company | Masele Poueu | 1060 North Dutton Avenue, Santa Rosa, CA 95401 | 4        | Lab 1      |

### Test Methods

#### California Test (CT) Certifications

Total 13 items.

| Test Method   | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments      |
|---|-----------------|--------|----------------|---------------------|---------------|
| CT 105 Calculations - Gradings (JTCP - HMA I / S&A) | 2027-05-03      | Active | Gabriela Lopez | Lab 1               | (No comments) |

| Test Method   | Expiration Date | Status     | IA Responsible | Within Lab(s) Scope | Comments      |
|---|-----------------|------------|----------------|---------------------|---------------|
| CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)           | 2027-05-03      | Active     | Gabriela Lopez | Lab 1               | (No comments) |
| CT 125 BIT Sampling - BITUMINOUS                                | 2025-06-08      | Active     | David Small    | Lab 1               | (No comments) |
| CT 125 HMA Sampling - HMA (JTCP - HMA I)                        | 2027-05-03      | Active     | Gabriela Lopez | Lab 1               | (No comments) |
| CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)    | 2025-05-06      | Active     | Avinash Ralla  | Lab 1               | (No comments) |
| CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A) | 2025-05-06      | Active     | Avinash Ralla  | Lab 1               | (No comments) |
| CT 205 Percent Crushed Particles (JTCP - S&A)                   | 2025-05-06      | Active     | Avinash Ralla  | Lab 1               | (No comments) |
| CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)  | 2025-05-06      | Incomplete | Avinash Ralla  | Lab 1               | (No comments) |
| CT 217 Sand Equivalent (JTCP - S&A)                             | 2025-05-06      | Active     | Avinash Ralla  | Lab 1               | (No comments) |

| Test Method   | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments      |
|---|-----------------|--------|----------------|---------------------|---------------|
| CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A) | 2025-05-06      | Active | Avinash Ralla  | Lab 1               | (No comments) |
| CT 227 Cleanness Value (JTCP - S&A)                         | 2025-05-06      | Active | Avinash Ralla  | Lab 1               | (No comments) |
| CT 229 Durability (JTCP - S&A)                              | 2025-05-06      | Active | Avinash Ralla  | Lab 1               | (No comments) |
| CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)  | 2027-05-03      | Active | Gabriela Lopez | Lab 1               | (No comments) |

## AASHTO/ASTM Proficiencies

Total 14 items.

| Test Method   | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments      |
|---|-----------------|--------|----------------|---------------------|---------------|
| AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)  | 2027-05-03      | Active | Gabriela Lopez | Lab 1               | (No comments) |
| AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I) | 2027-05-03      | Active | Gabriela Lopez | Lab 1               | (No comments) |

| Test Method   | Expiration Date | Status  | IA Responsible      | Within Lab(s) Scope | Comments      |
|---|-----------------|---------|---------------------|---------------------|---------------|
| AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)           | 2027-05-03      | Active  | Gabriela Lopez      | Lab 1               | (No comments) |
| AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)           | 2027-05-03      | Active  | Gabriela Lopez      | Lab 1               | (No comments) |
| AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II) | 2025-05-26      | Active  | Avinash Ralla       | Lab 1               | (No comments) |
| AASHTO T176 Sand Equivalent (JTCP - HMA I)                  | 2027-05-03      | Active  | Gabriela Lopez      | Lab 1               | (No comments) |
| AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)       | 2025-05-26      | Active  | Avinash Ralla       | Lab 1               | (No comments) |
| AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)         | 2021-05-04      | Expired | Biplab Bhattacharya | Lab 1               | (No comments) |
| AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)      | 2027-05-03      | Active  | Gabriela Lopez      | Lab 1               | (No comments) |
| AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)         | 2025-05-26      | Active  | Avinash Ralla       | Lab 1               | (No comments) |

| Test Method   | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments      |
|---|-----------------|--------|----------------|---------------------|---------------|
| AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)                      | 2025-05-26      | Active | Avinash Ralla  | Lab 1               | (No comments) |
| AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)    | 2025-05-26      | Active | Alexis England | Lab 1               | (No comments) |
| AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I) | 2027-05-03      | Active | Gabriela Lopez | Lab 1               | (No comments) |
| AASHTO T335 Percentage of Fracture (JTCP - HMA I)               | 2027-05-03      | Active | Gabriela Lopez | Lab 1               | (No comments) |