

Certificates for Jose Padilla

Basic Information

First Name	Jose
Last Name	Padilla
Status	Active

Associated Labs

Total **1** item.

Lab Name	Manager Name	Full Address	District	Page Alias
Cemex White Mountain - 4423	Albert Marc Segura	24724 Quarry Road, Apple Valley, CA 92307	8	Lab 1

Test Methods

California Test (CT) Certifications

Total **16** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2026-03-10	Active	David Medina	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2026-03-10	Active	David Medina	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2026-03-10	Active	David Medina	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2026-03-10	Active	David Medina	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2026-03-10	Active	David Medina	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2026-03-10	Active	David Medina	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2026-03-10	Active	David Medina	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2026-03-10	Active	David Medina	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2026-03-10	Active	David Medina	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-06-15	Expired	Jackie Treat	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-06-15	Expired	Jackie Treat	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-06-15	Expired	Jackie Treat	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-06-15	Expired	Jackie Treat	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-06-15	Expired	Jackie Treat	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-06-15	Expired	Jackie Treat	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-06-15	Expired	Jackie Treat	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					