

## Certificates for Giovanni Mikhail

### Basic Information

<b>First Name</b>	Giovanni
<b>Last Name</b>	Mikhail
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
AESCO, Incorporated	David Ryan	17782 Georgetown Lane, Huntington Beach, CA 92647	12	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 9 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2026-10-01	Active	Avinash Ralla	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 518 Unit Weight - PCC (JTCP - PCC)	2026-10-01	Active	Avinash Ralla	Lab 1	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2026-10-01	Active	Avinash Ralla	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2026-10-01	Active	Avinash Ralla	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2026-10-01	Active	Avinash Ralla	Lab 1	(No comments)
CT 541 Flow Cone	2021-08-12	Expired	Ashley Shaw	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2026-10-01	Active	Avinash Ralla	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2026-10-01	Active	Avinash Ralla	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2026-10-01	Active	Avinash Ralla	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy