

Certificates for Michael Leach

Basic Information

First Name	Michael
Last Name	Leach
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
County of Tulare	Kyle Kubik	14001 Avenue 256, Visalia, CA 93292	6	Lab 1

Test Methods

California Test (CT) Certifications

Total 28 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-06-18	Active	Soroosh Amelian	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Active	David Small	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-06-18	Active	Soroosh Amelian	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2025-04-04	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-08-16	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-06-18	Active	Soroosh Amelian	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-06-18	Active	Soroosh Amelian	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-06-18	Active	Soroosh Amelian	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2023-06-09	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2023-07-27	Active	Martiniano Ruiz	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-06-18	Active	Soroosh Amelian	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-06-18	Active	Soroosh Amelian	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-06-18	Active	Soroosh Amelian	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-06-18	Active	Soroosh Amelian	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2024-06-18	Active	Soroosh Amelian	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2023-04-04	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2023-05-19	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2023-06-22	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2023-06-22	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2023-06-22	Active	Martiniano Ruiz	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2025-02-10	Active	Jackie Treat	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2025-02-10	Active	Jackie Treat	Lab 1	(No comments)
CT 521 Compressive Strength - PCC	2023-07-27	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2025-02-10	Active	Jackie Treat	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2025-02-10	Active	Jackie Treat	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2025-02-10	Active	Jackie Treat	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2025-02-10	Active	Jackie Treat	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2025-02-10	Active	Jackie Treat	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2022-08-16	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2022-08-16	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2022-08-16	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2022-08-16	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2023-08-27	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2022-08-16	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2023-08-27	Active	Soroosh Amelian	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2022-08-16	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2023-08-27	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2023-08-27	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2023-08-27	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2022-08-16	Active	Shaya Meisamifard	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2022-08-16	Active	Shaya Meisamifard	Lab 1	(No comments)