

Certificates for Thomas Solomon

Basic Information

First Name	Thomas
Last Name	Solomon
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Terracon Consultants, Incorporated	Paula Arends	902 Industrial Way, Lodi, CA 95242	10	Lab 1

Test Methods

California Test (CT) Certifications

Total 17 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-09-20	Expired	Shaya Meisamifard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-09-20	Expired	Shaya Meisamifard	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES	2027-04-11	Active	Joshua Gallaway	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2027-04-11	Active	Joshua Gallaway	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2027-04-11	Active	Joshua Gallaway	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2020-06-18	Expired	Manpreet Singh	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2027-04-11	Active	Joshua Gallaway	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2022-09-20	Expired	Shaya Meisamifard	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2022-09-20	Expired	Shaya Meisamifard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 205 Percent Crushed Particles (JTCP - S&A)	2022-09-20	Expired	Shaya Meisamifard	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2022-09-20	Expired	Shaya Meisamifard	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2022-09-20	Expired	Husam Makhoul	Lab 1	CSP suspension on 06/14/2022 for nonparticipation. Contact CSP@dot.ca.gov for unsuspension directions
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2022-09-20	Expired	Shaya Meisamifard	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2022-09-20	Expired	Shaya Meisamifard	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2022-09-20	Expired	Shaya Meisamifard	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2026-04-11	Active	Joshua Gallaway	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 375 AC Density by Nuclear Gage	2026-04-11	Active	Joshua Gallaway	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy