

Certificates for Dustin Race

Basic Information

First Name	Dustin
Last Name	Race
Status	Active

Associated Labs

Total 3 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Riverside, County of	Elmer Datuin	2950 Washington Street, Riverside, CA 92780	8	Lab 1
Riverside County, Mobile Laboratory	Elmer Datuin	2950 Washington Street, Riverside, CA 92504	8	Lab 2
Riverside County, Satellite Laboratory	Elmer Datuin	86199 Airport Boulevard, Thermal, CA 92274	8	Lab 3

Test Methods

California Test (CT) Certifications

Total 30 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-09-16	Active	Brian Ellis	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-09-16	Active	Brian Ellis	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-09-16	Active	Brian Ellis	Lab 1, Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-09-16	Active	Brian Ellis	Lab 1, Lab 2	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-09-16	Active	Brian Ellis	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2019-08-02	Expired	Seree Yenjai	(No lab)	(No comments)
CT 211 LA Rattler	2019-08-02	Expired	Seree Yenjai	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-09-16	Active	Brian Ellis	Lab 1, Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2025-09-16	Active	Brian Ellis	Lab 1, Lab 2	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-09-16	Active	Brian Ellis	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-09-16	Active	Brian Ellis	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2025-09-16	Active	Brian Ellis	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2024-09-19	Active	Babak Rezaei	Lab 1, Lab 3	(No comments)
CT 301 "R" Value	2025-08-30	Active	Rabiul Hyder	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2019-08-02	Expired	Seree Yenjai	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2019-08-02	Expired	Seree Yenjai	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2019-08-02	Expired	Seree Yenjai	(No lab)	(No comments)
CT 366 Stabilometer	2019-08-02	Expired	Seree Yenjai	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2019-08-02	Expired	Seree Yenjai	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-04-21	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-04-21	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2025-09-19	Active	Babak Rezaei	Lab 1	Created based on CT521 certificate ID50154
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2025-09-19	Active	Babak Rezaei	Lab 1	Created based on CT521 certificate ID50154
CT 533 Ball Penetration - PCC	2025-09-19	Active	Babak Rezaei	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-04-21	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-04-21	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-04-21	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 547 Bridge Profilograph	2023-03-08	Expired	Rabiul Hyder	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 556 Slump - PCC (JTCP - PCC)	2023-04-21	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2023-04-21	Expired	Biplab Bhattacharya	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					