

Certificates for Kevin Lozano

Basic Information

First Name	Kevin
Last Name	Lozano
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
County of Kern	Nathan Hevle	4233 Foster Avenue, Bakersfield, CA 93308	6	Lab 1

Test Methods

California Test (CT) Certifications

Total 25 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-10-01	Expired	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2024-10-25	Expired	Allen Oliver	Lab 1	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2025-08-17	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-10-01	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2025-05-20	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2025-05-20	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2025-05-20	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2025-02-06	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-10-01	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-10-01	Expired	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-10-01	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2025-10-25	Active	Allen Oliver	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2025-11-16	Active	Allen Oliver	Lab 1	(No comments)
CT 211 LA Rattler	2024-11-16	Active	Allen Oliver	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-10-01	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-10-01	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-10-01	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-10-01	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2024-10-01	Expired	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 231 Relative Compaction - Nuclear Gage	2025-02-14	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 301 "R" Value	2025-06-18	Active	Salvador Lopez-Zamora	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2025-08-17	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2025-08-17	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2024-10-25	Expired	Martiniano Ruiz	(No lab)	Created based on CT521 certificate ID86543
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2024-10-25	Expired	Martiniano Ruiz	(No lab)	Created based on CT521 certificate ID86543

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					