

Certificates for Timothy Reyes

Basic Information

First Name	Timothy
Last Name	Reyes
Status	Active

Associated Labs

Total **1** item.

Lab Name	Manager Name	Full Address	District	Page Alias
Sequoia Consultants, Incorporated	Ruben Jimenez	361 West Grove Avenue, Orange, CA 92865	12	Lab 1

Test Methods

California Test (CT) Certifications

Total **37** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2027-06-28	Active	Brian Ellis	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2025-03-23	Active	Rabiul Hyder	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2027-06-28	Active	Brian Ellis	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2025-03-23	Active	Rabiul Hyder	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2025-03-23	Active	Rabiul Hyder	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2025-03-23	Active	Rabiul Hyder	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2024-08-02	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2027-06-28	Active	Brian Ellis	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2027-06-28	Active	Brian Ellis	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2027-06-28	Active	Brian Ellis	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 206 SpG & Absorption - Coarse Aggregates	2026-05-01	Active	Ashley Shaw	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2026-05-01	Active	Ashley Shaw	Lab 1	(No comments)
CT 211 LA Rattler	2020-11-20	Expired	Rahshaun Spears	Lab 1	(No comments)
CT 212 Unit Weight of Aggregates	2020-11-20	Expired	Rahshaun Spears	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2027-06-28	Active	Brian Ellis	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2027-06-28	Active	Brian Ellis	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2027-06-28	Active	Brian Ellis	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2027-06-28	Active	Brian Ellis	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2027-06-28	Active	Brian Ellis	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 231 Relative Compaction - Nuclear Gage	2025-03-07	Active	Jay Horton	Lab 1	(No comments)
CT 235 Flat and Elongated Particles	2020-11-20	Expired	Rahshaun Spears	Lab 1	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2024-08-02	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2020-05-09	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2020-05-09	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2020-05-09	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2020-05-09	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2025-10-09	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2025-10-09	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2024-10-25	Active	Ashley Shaw	Lab 1	Created based on CT521 certificate ID94233

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2024-10-25	Active	Ashley Shaw	Lab 1	Created based on CT521 certificate ID94233
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2024-10-25	Active	Ashley Shaw	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2024-10-25	Active	Ashley Shaw	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2025-10-09	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2025-10-09	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2025-10-09	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2025-10-09	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2025-10-09	Active	Sarbjit Grewal	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total **19** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2024-08-02	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2024-08-02	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2024-08-02	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2024-08-02	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2020-09-27	Expired	Pedro Reyes	Lab 1	(No comments)
AASHTO T96 L.A. Rattler	2020-12-11	Expired	Pedro Reyes	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2027-05-03	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2024-08-02	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2027-05-03	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2024-08-02	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2024-08-02	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2027-05-03	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2027-05-03	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2027-05-03	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T312 Gyratory Compactor	2020-12-11	Expired	Pedro Reyes	Lab 1	(No comments)
AASHTO T324 Hamburg Wheel-Track	2020-12-11	Expired	Pedro Reyes	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2024-08-02	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2024-08-02	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
ASTM D4791 Flat and Elongated Particles	2020-11-20	Expired	Rahshaun Spears	Lab 1	(No comments)