

## Certificates for Ryan DeVault

### Basic Information

<b>First Name</b>	Ryan
<b>Last Name</b>	DeVault
<b>Status</b>	Active

### Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
NV5	Ryan DeVault	2015 Westwind Drive, Suite 0, Bakersfield, CA 93301	6	Lab 1
NV5 West, Incorporated	Shaun Simon	1868 Palma Drive, Suite A, Ventura, CA 93003	7	Lab 2

### Test Methods

#### California Test (CT) Certifications

Total 32 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2021-08-31	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-08-31	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES	2023-03-11	Expired	Martiniano Ruiz	Lab 2	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2023-03-11	Expired	Martiniano Ruiz	Lab 1, Lab 2	(No comments)
CT 125 GEN Sampling - GENERAL	2023-03-11	Expired	Martiniano Ruiz	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2021-08-31	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2021-08-31	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2021-08-31	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2021-08-31	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2021-08-31	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2021-08-31	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2021-08-31	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 229 Durability (JTCP - S&A)	2021-08-31	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2023-02-18	Expired	Ignocencio Herrera	Lab 1, Lab 2	(No comments)
CT 308 Bulk SpG and Density - HMA	2021-02-19	Expired	Majid Fahrtosh	Lab 1, Lab 2	(No comments)
CT 375 AC Density by Nuclear Gage	2023-02-18	Expired	Ignocencio Herrera	Lab 1, Lab 2	(No comments)
CT 382 AC Content by Ignition Oven	2021-03-18	Expired	Majid Fahrtosh	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-05-19	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-05-19	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2023-02-18	Expired	Ignocencio Herrera	Lab 1, Lab 2	Created based on CT521 certificate ID55420
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2023-02-18	Expired	Ignocencio Herrera	Lab 1, Lab 2	Created based on CT521 certificate ID55420
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2023-05-19	Expired	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2021-02-19	Expired	Majid Fahrtosh	Lab 2	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2021-03-18	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2023-03-25	Expired	Martiniano Ruiz	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-05-19	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-05-19	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 541 Flow Cone	2023-03-11	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-05-19	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 552 Relative Compaction of Polymer Concrete	2021-03-18	Expired	Majid Fehrtosh	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2023-05-19	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2023-05-19	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)

## AASHTO/ASTM Proficiencies

Total 2 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T312 Gyrotory Compactor	2021-03-18	Expired	Majid Fehrtosh	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T324 Hamburg Wheel-Track	2021-03-18	Expired	Majid Fahrtosh	Lab 1	(No comments)

Unofficial Copy