

Certificates for Maria Ramirez

Basic Information

First Name	Maria
Last Name	Ramirez
Status	Active

Associated Labs

Total **1** item.

Lab Name	Manager Name	Full Address	District	Page Alias
Graniterock Aromas	Douglas Lemon	1900 Quarry Road, Aromas, CA 95004	5	Lab 1

Test Methods

California Test (CT) Certifications

Total **3** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-01-11	Expired	Biplab Bhattacharya	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-01-11	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total **21** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T84 SpG & Absorption - Fine Aggregates	2021-02-27	Expired	Jeff Rush	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2021-02-27	Expired	Jeff Rush	Lab 1	(No comments)
AASHTO T96 L.A. Rattler	2021-02-27	Expired	Jeff Rush	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2021-06-21	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2021-06-21	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2021-06-21	Expired	Biplab Bhattacharya	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2021-06-21	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2021-02-27	Expired	Jeff Rush	Lab 1	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2021-02-28	Expired	Jeff Rush	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2021-06-21	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T312 Gyratory Compactor	2021-02-28	Expired	Jeff Rush	Lab 1	(No comments)
AASHTO T324 Hamburg Wheel-Track	2021-02-28	Expired	Jeff Rush	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	Lab 1	(No comments)
ASTM D4791 Flat and Elongated Particles	2021-02-28	Expired	Jeff Rush	Lab 1	(No comments)