

## Certificates for Kory Patrick

### Basic Information

<b>First Name</b>	Kory
<b>Last Name</b>	Patrick
<b>Status</b>	Active

### Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

### Test Methods

#### California Test (CT) Certifications

Total 29 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-08-13	Active	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-08-13	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2018-10-23	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2018-10-23	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2024-08-13	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-04-15	Active	Avinash Ralla	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-04-15	Active	Avinash Ralla	(No lab)	(No comments)
CT 204 LL, PL, PI	2018-10-23	Expired	Jackie Treat	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-04-15	Active	Avinash Ralla	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-04-15	Active	Avinash Ralla	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2025-04-15	Active	Avinash Ralla	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-04-15	Active	Avinash Ralla	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-04-15	Active	Avinash Ralla	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2025-04-15	Active	Avinash Ralla	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2025-02-07	Active	Joshua Gallaway	(No lab)	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2024-08-13	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2025-02-07	Active	Joshua Gallaway	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-03-10	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-03-10	Expired	Biplab Bhattacharya	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2020-10-16	Expired	Victor Antido	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2020-10-16	Expired	Victor Antido	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2020-10-16	Expired	Victor Antido	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2018-10-23	Expired	Jackie Treat	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-03-10	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-03-10	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-03-10	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 552 Relative Compaction of Polymer Concrete	2020-10-16	Expired	Victor Antido	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2023-03-10	Expired	Biplab Bhattacharya	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 557 Temperature - PCC (JTCP - PCC)	2023-03-10	Expired	Biplab Bhattacharya	(No lab)	(No comments)

## AASHTO/ASTM Proficiencies

Total 14 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2024-08-13	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2024-08-13	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2024-08-13	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2024-08-13	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2025-03-03	Active	Dalton LaBoskey	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2024-08-13	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2025-03-03	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-07-20	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2024-08-13	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2025-03-03	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2025-03-03	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2025-03-03	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2024-08-13	Active	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2024-08-13	Active	Sarbjit Grewal	(No lab)	(No comments)

Unofficial Copy