

Certificates for Kory Patrick

Basic Information

First Name	Kory
Last Name	Patrick
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **29** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-08-13	Active	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-08-13	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2018-10-23	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2018-10-23	Expired	Jackie Treat	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2024-08-13	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-04-15	Active	Avinash Ralla	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-04-15	Active	Avinash Ralla	(No lab)	(No comments)
CT 204 LL, PL, PI	2018-10-23	Expired	Jackie Treat	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-04-15	Active	Avinash Ralla	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-04-15	Active	Avinash Ralla	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2025-04-15	Active	Avinash Ralla	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-04-15	Active	Avinash Ralla	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-04-15	Active	Avinash Ralla	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2025-04-15	Active	Avinash Ralla	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2025-02-07	Active	Joshua Gallaway	(No lab)	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2024-08-13	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2025-02-07	Active	Joshua Gallaway	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-03-10	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-03-10	Expired	Biplab Bhattacharya	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2020-10-16	Expired	Victor Antido	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2020-10-16	Expired	Victor Antido	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2020-10-16	Expired	Victor Antido	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2018-10-23	Expired	Jackie Treat	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-03-10	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-03-10	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-03-10	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 552 Relative Compaction of Polymer Concrete	2020-10-16	Expired	Victor Antido	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2023-03-10	Expired	Biplab Bhattacharya	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 557 Temperature - PCC (JTCP - PCC)	2023-03-10	Expired	Biplab Bhattacharya	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 14 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2024-08-13	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2024-08-13	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2024-08-13	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2024-08-13	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2025-03-03	Active	Dalton LaBoskey	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2024-08-13	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2025-03-03	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-07-20	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2024-08-13	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2025-03-03	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2025-03-03	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2025-03-03	Active	Avinash Ralla	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2024-08-13	Active	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2024-08-13	Active	Sarbjit Grewal	(No lab)	(No comments)

Unofficial Copy