

Certificates for Ryan Reid

Basic Information

First Name	Ryan
Last Name	Reid
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Sladden Engineering	Terry Bridenstine	450 Egan Avenue, Beaumont, CA 92223	8	Lab 1

Test Methods

California Test (CT) Certifications

Total 16 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2027-05-28	Active	Robby Rodriguez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2020-06-26	Expired	Seree Yenjai	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES	2027-05-28	Active	Robby Rodriguez	Lab 1	Adjusted to 3 years Certification
CT 125 BIT Sampling - BITUMINOUS	2027-05-28	Active	Robby Rodriguez	Lab 1	Adjusted to 3 years Certification
CT 125 CEM Sampling - CEM	2027-05-28	Active	Robby Rodriguez	Lab 1	Adjusted to 3 years Certification
CT 125 GEN Sampling - GENERAL	2027-05-28	Active	Robby Rodriguez	Lab 1	Adjusted to 3 years Certification
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2020-06-26	Expired	Seree Yenjai	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2027-05-28	Active	Robby Rodriguez	Lab 1	Adjusted to 3 years Certification
CT 231 Relative Compaction - Nuclear Gage	2025-06-13	Active	Rabiul Hyder	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-02-16	Expired	Jackie Treat	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-02-16	Expired	Jackie Treat	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-02-16	Expired	Jackie Treat	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-02-16	Expired	Jackie Treat	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-02-16	Expired	Jackie Treat	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-02-16	Expired	Jackie Treat	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-02-16	Expired	Jackie Treat	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					