

Certificates for Reza Dineli

Basic Information

First Name	Reza
Last Name	Dineli
Status	Active

Associated Labs

Total 3 items.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D04 - Pleasanton Field Laboratory	Dennis Yeung	5675 Gibraltar Drive, Pleasanton, CA 94588	4	Lab 1
CT D04 - San Jose Field Laboratory	Gurind Joshi	1007 Knox Avenue, San Jose, CA 95122	4	Lab 2
CT D04 - Materials Laboratory	Venu Gopal	21339 Cabot Boulevard, Hayward, CA 94545	4	Lab 3

Test Methods

California Test (CT) Certifications

Total 32 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2027-06-05	Active	Brian Ellis	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2027-06-05	Active	Brian Ellis	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2027-06-05	Active	Brian Ellis	Lab 1, Lab 2, Lab 3	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2027-06-05	Active	Brian Ellis	Lab 1, Lab 2, Lab 3	(No comments)
CT 203 Test for Mechanical Analysis of Soils	2026-03-19	Active	Ed Gamboa	(No lab)	(No comments)
CT 204 LL, PL, PI	2026-03-19	Active	Ed Gamboa	Lab 3	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2027-06-05	Active	Brian Ellis	Lab 3	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2026-03-19	Active	Ed Gamboa	Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 207 SpG & Absorption - Fine Aggregates	2026-03-19	Active	Ed Gamboa	Lab 3	(No comments)
CT 211 LA Rattler	2026-03-19	Active	Ed Gamboa	Lab 3	(No comments)
CT 212 Unit Weight of Aggregates	2026-03-19	Active	Ed Gamboa	Lab 3	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-06-05	Expired	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2027-06-05	Active	Brian Ellis	Lab 1, Lab 2	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2027-06-05	Active	Brian Ellis	Lab 1, Lab 2, Lab 3	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2027-06-05	Active	Brian Ellis	Lab 1, Lab 2, Lab 3	(No comments)
CT 229 Durability (JTCP - S&A)	2027-06-05	Active	Brian Ellis	Lab 2, Lab 3	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2023-07-21	Expired	David Small	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 2	(No comments)
CT 368 OBC of OGAC	2026-03-19	Active	Ed Gamboa	Lab 3	(No comments)
CT 375 AC Density by Nuclear Gage	2021-08-06	Expired	Ed Gamboa	Lab 1, Lab 2	(No comments)
CT 389 Hamburg Wheel-Track	2023-12-08	Expired	Ed Gamboa	Lab 3	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2022-11-11	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2022-11-11	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2023-04-02	Expired	David Small	Lab 1, Lab 2	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2023-07-21	Expired	David Small	Lab 2	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2023-04-02	Expired	David Small	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2022-11-11	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2022-11-11	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2022-11-11	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2022-11-11	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2022-11-11	Expired	Biplab Bhattacharya	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 23 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T30 Mechanical Analysis of Extracted Aggregate	2024-05-26	Expired	David Small	Lab 2, Lab 3	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2026-03-19	Active	Ed Gamboa	Lab 2, Lab 3	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2026-03-19	Active	Ed Gamboa	Lab 2, Lab 3	(No comments)
AASHTO T96 L.A. Rattler	2026-03-19	Active	Ed Gamboa	Lab 3	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2025-02-10	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2025-02-10	Active	Sarbjit Grewal	Lab 1, Lab 3	(No comments)
AASHTO T210 Aggregate Durability Index	2021-03-16	Expired	Ed Gamboa	Lab 3	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 3	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2025-02-10	Active	Sarbjit Grewal	Lab 3	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2025-02-10	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2026-03-19	Active	Ed Gamboa	Lab 3	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2026-03-19	Active	Ed Gamboa	Lab 3	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2025-02-10	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T312 Gyratory Compactor	2026-03-19	Active	Ed Gamboa	Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T324 Hamburg Wheel-Track	2025-03-19	Active	Ed Gamboa	Lab 3	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2025-01-28	Active	Soroosh Amelian	Lab 3	(No comments)
ASTM D4791 Flat and Elongated Particles	2026-03-19	Active	Ed Gamboa	Lab 3	(No comments)

Unofficial Copy