

Certificates for Emad Aryamanesh

Basic Information

First Name	Emad
Last Name	Aryamanesh
Status	Active

Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Achievement Engineering Corporation	Sina Hooshdar	1145 South 3rd Street, San Jose, CA 95112	4	Lab 1
AEC Santa Maria Laboratory	Givarkise Ishoo	2311 Skyway Drive, Unit 11, Santa Maria, CA 93454	5	Lab 2

Test Methods

California Test (CT) Certifications

Total 12 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-07-05	Expired	Manpreet Singh	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2019-07-05	Expired	Manpreet Singh	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2019-07-05	Expired	Manpreet Singh	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-07-05	Expired	Manpreet Singh	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2019-07-05	Expired	Manpreet Singh	Lab 1, Lab 2	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-03-10	Expired	Jackie Treat	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-03-10	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-03-10	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-03-10	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-03-10	Expired	Jackie Treat	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 556 Slump - PCC (JTCP - PCC)	2023-03-10	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2023-03-10	Expired	Jackie Treat	Lab 1, Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					